



POF 1262
(FOREIGN PURCHASE)

**GOVERNMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY**

To

Dear Sirs,

Reference: Tender Enquiry No. 0005-FP-48-TAF DATED 24.07.2017

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 1230 hours on **29.08.2017** and must reach this office on or before 1200 hour upto due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0005-FP-48-TAF, DATED 24.07.2017.

Tender to be opened on: **29.08.2017 at 12.30 Hours.**

Address as follows:-

MANAGING DIRECTOR
PAKISTAN ORDNANCE FACTORIES,
GADWAL, WAH CANTT (PAKISTAN).
Post Code 47040

1.3 If envelop does not indicate reference of TEs or received late, the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2 For Plant & Machinery; you are required to quote in two parts:

Part-I: "Technical Offer" It should exclusively give technical details and literature / brochures of the offered plant, machinery & equipment, validity date, delivery schedule and signed undertaking given on the schedule to this tender enquiry. It must not indicate price, costs etc.

Part-II: "Commercial Offer" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part-I "Technical Quotation with out price" & Part-II "Commercial Quotation with price".

2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the Tenders on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C&F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original Proforma Invoice from the principals / manufacturers.

2.9 Country of origin and port of shipment to be stated.

2.10 The offer of Principal must clearly indicate whether the rate quoted is inclusive of Agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them alongwith shipping/ despatch documents.

2.12 If the requisite information is not furnished on the TE form or offer received is not in conformity with the requirement of the TE each offer should be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser. Who will arrange at his own cost, inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, the stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE:

Where required offer must accompany tender sample strictly according to the description given in the tender enquiry. Offer not accompanied a tender sample will not be entertained excepting established and reputable firms who have either previously satisfactorily supplied the same or similar store or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

- 4.1 POF may reject all bids or proposals at any time prior to the acceptance of bids or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

4.2 PERFORMANCE BOND

- (a) The successful bidders will provide Performance Bond at the rate upto 10% of FOB value of contract in favour of the Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit at Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The Performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause 4.2(a-i) is not applicable in case of procurement of Plant/ Equipment / Machinery Items)
OR
- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the supplier.

- (b) No Performance Bond will be required if the total FOB value of the contract is less than US\$ 50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contact price of the items and their quantities for each and every month or part of month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of particular store which remained unsupplied either in part or in full or to purchase from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

4.4 PAYMENT

Payment will normally be made by means of irrevocable Letter of Credit. Unless otherwise stated 90% payment will be released on submission of dispatch documents to bank while balance 10% payment will be released on receipt & acceptance of store by the consignee.

All bank charges incurred in Pakistan in connection with the establishment of LC will be borne by the purchaser, whereas all bank charges incurred in connection with drawing of payment including charges for confirmation of LC by the advising bank / foreign bank will be borne by the supplier.

5. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the tender duly signed by the specified date, alongwith the specifications, drawings etc, if any, enclosed herewith even if you are unable to quote.

Warning:

In case the firm abstain from making offer or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their name would be liable to be removed from the approved list

Yours faithfully,

(Muhammad Masood)
GENERAL MANAGER PP&C
POF Gadwal & TAF
For PAKISTAN ORDNANCE FACTORIES

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER ENQUIRY NO. 0005-FP-48-TAF, DATED 24.07.2017(1) FOR MATERIALS

Sr. No	Description of Store	Qty / Unit	Price per Unit FOB or Free delivery		Delivery Schedule
			In Figures	In Words	
1	Molybdenum Wire Annealed Stress Relieved, Dia 6.35mm x 06 Meter, shape straight, Wire easily bendable by flame heating, Spec: ASTM-B-387 type 361 (latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C	390 Kgs			Within 03 months after opening of LC.
2	Molybdenum Plate Size: 1000mm x 600mm x 12mm, Spec: ASTM-B-386 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C. Moly Plate must not exhibit any bending/ de-shaping or fusion / melting of material at this temp for 50 processes.	08 Nos			
3	Molybdenum Wire Annealed Stress Relieved, Dia: 5mm easily bendable by flame heating, Spec: ASTM-B-387 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C	90 Kgs			
4	Molybdenum Sheet, Size:1600mm long x 600mm wide x 0.2mm thick, Spec: ASTM-B-386 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C	270 Kgs			
5	Molybdenum Work Support Rod, Size: 1" Dia x 11" Long, Spec: ASTM-B-387 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C, Moly Rod must not exhibit any bending/ de-shaping or fusion / melting of material at this temp for 20 processes.	32 Nos			
6	Molybdenum Plate, Size: 900mm x 600mm x 12mm, Spec: ASTM-B-386 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C, Moly Plate must not exhibit any bending/ de-shaping or fusion / melting of material at this temp for 50 processes.	07 Nos			

ContdN/P

7	Molybdenum Wire Annealed Stress Relieved, Dia 1.0mm, Spec: ASTM-B-386 type 361 (Latest), Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C	14 Kgs		
8	Molybdenum Spacer, Size: 32mm Dia x 100mm Long, Spec: ASTM-B-387 type 361 (Latest) Density: 10.2 gm/cm ³ minimum, Working Temp: 1600 ⁰ C, Moly Spacer must not exhibit any bending/ de-shaping or fusion / melting of material at this temp for 20 processes.	50 Nos		

(2) For Plant & Machinery: N.A

Specifications:- as above.

(3) Special Conditions.

- i. Advance free samples of quoted Moly items will be required for evaluation prior to placing order if same have not been supplied by quoting firm in the past.
- ii. The above items will be used in Sintering Furnace for Sintering operation of Tungsten Alloy blanks.

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the Services contracted on the basis of Conditions of contract embodied in Form POF 1280 and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place

Signature of the Tenderer.....

Date

Name

Position

Address