



POF 1262  
(FOREIGN SUPPLIES)

Government of Pakistan  
PAKISTAN ORDNANCE FACTORIES  
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/FP/46/Pur/MGFy DATED 24-DEC-16

You are requested to submit quotations for the items noted in the schedule to the tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

**1. SUBMISSION OF TENDER**

1.1 Tenders will be opened at 1230 hours on 28-JAN-17 and must reach this office on or before 1200 within the due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0006/FP/46/Pur/MGFy  
Tender to be opened on: 28-JAN-17  
Address as follows:-

MANAGING DIRECTOR

MACHINE GUN FACTORY

POF WAH CANTT.

1.3 If envelope does not indicate reference of TEs or received late the same may be returned up-opened.

**2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

Contd.....P-2

2.2 **For Plant and Machinery**, you are required to quote in two parts:-

**Part I "Technical Offer":** It should exclusively give technical details and literatures/ brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

**Part II "Commercial Offer":** It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/manufacturers.

2.9 Country of origin and port of shipment to be stated

2.10 The offer of the principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/despatch documents

2.12 If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E each offer shall be ignored.

### 3. INSPECTION

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.

3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

**3.3 TENDER SAMPLE**

Where required offer must accompany tender sample strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

**4. ACCEPTANCE OF OFFERS**

4.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

**4.2 PERFORMANCE BOND**

(a) The successful bidder will provide Performance Bond at the rate of 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.  
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).

OR

- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

**4.3 FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

**4.4 PAYMENT**

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

**5. SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc., if any, enclosed herewith - even if you are unable to quote.

**WARNING** In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(**SAEED AKHTAR**)

**MANAGING DIRECTOR**

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9314101-21-22194

Fax 0092-51-9314100

Telex

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy

DATED 24-DEC-16

**(1) FOR MATERIALS**

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
				1	COLD ROLLED COMMON PURPOSE STEEL SHEET T=2 MM B3-GB912-66 B-GB708-65  T=2 MM  B3-GB912-66 B-GB708-65 ALT. BS 1449: Part 1:1972, CS 17 A ALT. DIN 1652, GK 22 K - N	
2	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE DIA 14X1.5 MM 35-YB 231-70  DIA 14X1.5 MM  35-YB 231-70 ALT. BS 900:1950, CDS6 As drawn	KG	10			
3	HOT ROLLED SUPER QUALITY STRUCTURAL STEEL DIA 32MM 50B YB 481-80 GB 702-65 DIA 32MM  50B YB 481-80 GB 702-65	KG	70			
4	COLD DRAWN AND ANNEALED SEAMLESS STEEL PIPE DIA14.5X2MM 35 YB231-70  DIA14.5X2MM  35 YB231-70 ALT. BS 900:1950 CDS6 As drawn	KG	40			
5	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE Ø 20_0.52 X Ø 14+0.23 MM 15 / 20 YB 231-70  Ø 20_0.52 X Ø 14+0.23 MM  15 / 20 YB 231-70 ALT. BS 900:1950, CDS 3 As drawn	KG	10			
6	COLD DRAWN AND ANNEALED SEAMLESS STEEL PIPE Ø 22X2.5MMX360 MM 30 / 45-YB 231-70  Ø 22X2.5MMX360 MM  30 / 45-YB 231-70 ALT. BS 900:1950, CDS 6 As drawn	KG	44			
7	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE Ø 22.3_0.28 X Ø 18.1+0.18MMX129 45-YB231-70  Ø 22.3_0.28 X Ø 18.1+0.18MMX129  45-YB231-70 ALT. BS 900:1950, CDS 7 Normalized	KG	10			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
8	COLD DRAWN AND ANNEALED SEAMLESS STEEL PIPE Ø 25X3MMX133 35 / 45 YB 231-70  Ø 25X3MMX133  35 / 45 YB 231-70  ALT. BS 900:1950, CDS 6 As drawn DEALS WITH BAR	KG	10			
9	COLD DRAWN SEAMLESS STEEL PIPE Ø 28X5MM 50 / 45-YB231-70  Ø 28X5MM  50 / 45-YB231-70	KG	120			
10	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE Ø 36X6 MM 35 YB231-70  Ø 36X6 MM  35 YB231-70  ALT. BS 900:1950, CDS 6 as drawn ALT. DIN 1652, CK 35 K + N	KG	480			
11	COLD DRAWN SEAMLESS STEEL PIPE Ø 42X5.5 X50 MM 35 YB231-70  Ø 42X5.5 X50 MM  35 YB231-70  ALT. BS 900:1950, CDS 6 as drawn ALT. DIN 1658, CK 35 K + N	KG	33			
12	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE Ø 4.5 MM X COIL 50YB194-63/GB905-66  Ø 4.5 MM X COIL  50YB194-63/GB905-66  ALT. BS 970:Part 1:1972, 080M50 Cold drawn ALT. Din 1652, CK 45 K + N	KG	10			
13	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6.3 MM 50B YB481-80 GB905-66  DIA 6.3 MM  50B YB481-80 GB905-66	KG	10			
14	COLD DRAWN SUPER SUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 50 X 87 MM 45B / 50B YB481-80  50 X 87 MM	KG	10			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/46/Pur/MGFy

DATED

24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	45B / 50B YB481-80 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K					
15	CDSQ SPECIAL SECTION STEEL ( FIGURED STEEL) 16 X 9 MM 45B/50B YB481-80  16 X 9 MM 45B/50B YB481-80 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	10			
16	COLD DRAWN SUPER QUALITY SPECIAL SECTION STEEL ( FIGURED STEEL) 20.5 X 60 MM 45B / 50B YB481-80  20.5 X 60 MM 45B / 50B YB481-80	KG	10			
17	HOT ROLLED ANNEALED SUPER QUALITY ALALLOY STRUCTURAL FLAT STEEL 6 X 36 MM 30CRNI3A YB481-80/GB704 65  6 X 36 MM 30CRNI3A YB481-80/GB704 65 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	14			
18	COLD DRAWN SUPER QUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 25 X 43 MM 45B / 50B-YB 481-80  25 X 43 MM 45B / 50B-YB 481-80 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	60			
19	HOT ROLLED SUPR QUALITY CARBON STRUCTURAL FLAT STEEL 12 X 22 MM 50BA YB481-80/ GB704-65  12 X 22 MM 50BA YB481-80/ GB704-65 ALT. BS 1449:Part 1:1972, CS 50HH ALT. Din 17200, CK 55 V	KG	90			
20	HOT ROLLED SUPER QUALITY CARBON STUCTURAL FLAT STEEL 20 X 30 MM 50B YB481-80/GB704-65  20 X 30 MM 50B YB481-80/GB704-65 ALT. BS 970 Part 1:1972, 080M50T	KG	200			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy DATED 24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. Din 17200, CK 55 V					
21	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 7 MM X COIL 50B YB481-80/GB 905-66	KG	10			
	DIA 7 MM X COIL					
	50B YB481-80/GB 905-66					
22	HRSQC STRUCTURAL STEEL PLATE T=4.5MM 45B YB481-80/GB709-65	KG	500			
	T=4.5MM					
	45B YB481-80/GB709-65					
	ALT. BS 1449: Part 1: 1972 HS 50					
	ALT. DEALS WITH BAR					
23	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T=4.5 MM 50 GB711-65/GB709-65	KG	85			
	T=4.5 MM					
	50 GB711-65/GB709-65					
	ALT. BS 1449: Part 1:1972 HS 50					
	ALT. DEALS WITH BAR					
	BEING IN HARD CONDITION BLANKING ETC.					
	WIL BE DIFFICULT.					
24	HRSQ CARBON STRUCTURAL STEEL PLATE T=5MM 50 GB711-65 GB709-65 OR 50B YB481-80	KG	15			
	T=5MM					
	50 GB711-65 GB709-65 OR 50B YB481-80					
	ALT. BS 1449: Part 1:1972 HS 50					
	BEING IN HARD CONDITION BLANKING ETC.					
	WIL BE DIFFICULT.					
25	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T=7MM 50 GB711-65/GB709-65 OR 50B YB481-80	KG	130			
	T=7MM					
	50 GB711-65/GB709-65 OR 50B YB481-80					
	ALT. BS 1449: Part 1:1972 HS 50					
	BEING IN HARD CONDITION BLANKING ETC.					
	WIL BE DIFFICULT.					
26	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T= 5 MM 35-GB711-65/GB709-65	KG	214			
	T= 5 MM					
	35-GB711-65/ GB709-65					



**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/46/Pur/MGFy

DATED

24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. BS 1449: Part 1: 1972 HS 40 ALT. DEALS WITH BAR					
27	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T= 6 MM 35 GB711-65/ GB709-65  T= 6 MM  35 GB711-65/ GB709-65  ALT. BS 1449: Part 1: 1972 HS 40 ALT. DEALS WITH BAR	KG	10			
28	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T= 5 MM 40 GB711-65/ GB709-65  T= 5 MM  40 GB711-65/ GB709-65  ALT. BS 1449: Part 1: 1972 HS 40 ALT. DEALS WITH BAR	KG	150			
29	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T=9.5 MM 50B YB481-80/GB709-65  T=9.5 MM  50B YB481-80/GB709-65  ALT. BS 1449: Part 1:1972 HS 50 BEING IN HARD CONDITION BLANKING ETC. WIL BE DIFFICULT.	KG	1320			
30	HRSQCS STEEL PLATE T=9.5 MM 50BA YB481-80 GB709-65  T=9.5 MM  50BA YB481-80 GB709-65	KG	10			
31	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 28MM 45B / 50B YB481-80/GB702-65  DIA 28MM  45B / 50B YB481-80/GB702-65  ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	20			
32	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8MM 45 YB194-63/GB905-66  DIA 8MM  45 YB194-63/GB905-66  ALT. BS 970:Part 1:1972, 080 M46 Cold drawn	KG	20			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/46/Pur/MGFy

DATED

24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. Din 1652, CK 45 K					
33	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8MM 50B YB481-80/ GB905-66	KG	10			
	<p><b>DIA 8MM</b></p> <p>50B YB481-80/ GB905-66</p> <p>ALT. BS 970, Part:1:1972, 080M 50T</p> <p>ALT. DIN 17200, CK 55 V</p>					
34	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 9 MM 50B YB481-80/GB905-66	KG	1165			
	<p><b>DIA 9 MM</b></p> <p>50B YB481-80/GB905-66</p>					
35	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL DIA 22 MM 50B YB481-80/ GB905-66	KG	10			
	<p><b>DIA 22 MM</b></p> <p>50B YB481-80/ GB905-66</p> <p>ALT. BS 970, Part:1:1972, 080M 50T</p> <p>ALT. DIN 17200, CK 55 V</p>					
36	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 25 MM 50B YB481-80/GB905-66	KG	25			
	<p><b>DIA 25 MM</b></p> <p>50B YB481-80/GB905-66</p>					
37	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 4.2 MM X COIL 50B YB481-80/ GB905-66	KG	10			
	<p><b>DIA 4.2 MM X COIL</b></p> <p>50B YB481-80/ GB905-66</p> <p>ALT. BS 970:Part 1:1972, 080M50T</p> <p>ALT. Din 17200, CK 55 V</p>					
38	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 4.8 MM 50B YB481-80/ GB905-66	KG	10			
	<p><b>DIA 4.8 MM</b></p> <p>50B YB481-80/ GB905-66</p> <p>ALT. BS 970:Part 1:1972, 080M50T</p> <p>ALT. Din 17200, CK 55 V</p>					
39	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 5.3 MM X COIL 50B YB 481-80/GB 905-66	KG	10			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/46/Pur/MGFy

DATED

24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	<p><b>DIA 5.3 MM X COIL</b></p> <p>50B YB 481-80/GB 905-66</p> <p>ALT. BS 970:Part 1:1972, 080M50 Cold drawn</p> <p>ALT. Din 1652, CK 45 K + N</p>					
40	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL DIA 8 MM 50BA YB481-80/ GB905-66	KG	10			
	<p><b>DIA 8 MM</b></p> <p>50BA YB481-80/ GB905-66</p> <p>ALT. BS 970:Part 1:1972, 080M50T</p> <p>ALT. Din 17200, CK 55 V</p>					
41	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 25 MM 50BA YB481-80/ GB702-65	KG	100			
	<p><b>DIA 25 MM</b></p> <p>50BA YB481-80/ GB702-65</p>					
42	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 15 / 20 YB194-63/ GB905-66	KG	10			
	<p><b>DIA 10 MM</b></p> <p>15 / 20 YB194-63/ GB905-66</p> <p>ALT. Din 1652, CK 15 k</p>					
43	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 25 YB194-63/GB905-66	KG	12			
	<p><b>DIA 10 MM</b></p> <p>25 YB194-63/GB905-66</p> <p>ALT. BS 970:Part 1:1972, 070M26 cold drawn</p> <p>ALT. Din 1652, CK 22 K</p>					
44	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 18 MM 25 / 35 YB194-63/GB905-66	KG	10			
	<p><b>DIA 18 MM</b></p> <p>25 / 35 YB194-63/GB905-66</p> <p>ALT. BS 970:Part 1:1972.070M26 cold drawn</p> <p>ALT. Din 1652, CK 22 K</p>					
45	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 45B YB481-80/GB905-66	KG	10			
	<p><b>DIA 10 MM</b></p> <p>45B YB481-80/GB905-66</p> <p>ALT. BS 970:Part 1:1972, 080 M46 Cold drawn</p> <p>ALT. Din 1652, CK 45 K</p>					

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy DATED 24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
46	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 12 MM 50 YB194-63/ GB905-66  DIA 12 MM  50 YB194-63/ GB905-66  ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	15			
47	COLD DRAWN SUPER QUALITY STRCTURAL STEEL DIA 30 MM 50-YB194-63/GB905-66 OR 50B YB481-80  DIA 30 MM  50-YB194-63/GB905-66 OR 50B YB481-80  ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN ALT. DIN 1652, CK 55 K	KG	30			
48	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 3.5MM 50 YB194-63/GB905-66 OR 50B YB481-80  DIA 3.5MM  50 YB194-63/GB905-66 OR 50B YB481-80  ALT. BS 970:Part 1:1972, 080M50 Cold drawn ALT. Din 1652, CK 45 K + N	KG	10			
49	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6 MM 50 YB194-63/GB905-66 OR 50B YB481-80  DIA 6 MM  50 YB194-63/GB905-66 OR 50B YB481-80  ALT. BS 970:Part 1:1972, 080M50T ALT. Din 17200, CK 55 V	KG	20			
50	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 19MM 50 GB699-65/GB702-65 OR 50B YB481-80  DIA 19MM  50 GB699-65/GB702-65 OR 50B YB481-80  ALT. BS 970:Part 1:1972, 080M50 N ALT. Din 1652, CK 45 K + N	KG	10			
51	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 30MM 50 GB699-65/GB702-65 OR 50B YB481-80  DIA 30MM  50 GB699-65/GB702-65 OR 50B YB481-80	KG	10			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.**

**0006/FP/46/Pur/MGFy**

**DATED**

**24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. BS 970:Part 1:1972, 080M50 N ALT. Din 1652, CK 45 K + N					
52	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 32 MM 50-GB699-65/GB702-65 OR 50B-YB481-80  <b>DIA 32 MM</b>  50-GB699-65/GB702-65 OR 50B-YB481-80  ALLTERNATIVE 50B-YB 481-80 ALT. BS 970:Part 1:1972, 080M50 N ALT. Din 1652, CK 45 K + N	KG	70			
53	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 38MM 50-GB699-65/ GB702-65 OR 50B YB481-80  <b>DIA 38MM</b>  50-GB699-65/ GB702-65 OR 50B YB481-80  ALT. BS 970:Part 1:1972, 080M50 N ALT. Din 1652, CK 45 K + N	KG	380			
54	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL DIA 11MM 50B YB481-80 / GB702-65  <b>DIA 11MM</b>  50B YB481-80 / GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	10			
55	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL DIA 14MM 50B YB481-80/GB702-65  <b>DIA 14MM</b>  50B YB481-80/GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	250			
56	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL DIA 15MM 50B YB481-80 / GB702-65  <b>DIA 15MM</b>  50B YB481-80 / GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	10			
57	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 17MM 50B YB481-80/GB702-65  <b>DIA 17MM</b>  50B YB481-80/GB702-65  ALT. BS 970:Part 1:1972, 080M50 T	KG	25			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/46/Pur/MGFy

DATED

24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. Din 17200, CK 55 V					
58	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 26MM 50B YB481-80 / GB702-65  DIA 26MM  50B YB481-80 / GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	100			
59	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 34MM 50B YB481-80 / GB702-65  DIA 34MM  50B YB481-80 / GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	15			
60	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 35MM 50B YB481-80/GB702-65  DIA 35MM  50B YB481-80/GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	340			
61	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 38MM 50B YB481-80 / GB702-65  DIA 38MM  50B YB481-80 / GB702-65  ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	125			
62	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 25MM 45 GB699-65/GB702-65  DIA 25MM  45 GB699-65/GB702-65  ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	650			
63	HOT ROLLED SUPPER QUALITY CARBON STRUCTURAL STEEL DIA 32MM 45 GB699-65/GB702-65  DIA 32MM  45 GB699-65/GB702-65  ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	10			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
64	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL DIA 20MM 45-YB194-63/GB905-66  <b>DIA 20MM</b>  45-YB194-63/GB905-66  ALT. BS 970:Part 1:1972, 080 M46 ALT. Din 1652, CK 45 K	KG	10			
65	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 3MM 45-YB194-63/ GB905-66  <b>DIA 3MM</b>  45-YB194-63/ GB905-66  ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	10			
66	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 4.5MM 45YB194-63/GB905-66  <b>DIA 4.5MM</b>  45YB194-63/GB905-66  ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	10			
67	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6.5MM 45 YB194-63 GB905-66  <b>DIA 6.5MM</b>  45 YB194-63 GB905-66  ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	10			
68	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 14MM 45B-YB481-80/GB702-65  <b>DIA 14MM</b>  45B-YB481-80/GB702-65  ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	10			
69	HOT ROLLED ANNEALED SUPER QUALITY ALLOY STRUCTURAL STEEL DIA 19MM 30SIMNMOVA/30Si Mn2 Mo VA YB481-80/ GB702-65  <b>DIA 19MM</b>  30SIMNMOVA/30Si Mn2 Mo VA YB481-80/ GB702-65	KG	150			
70	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL OR HOT ROLLED Ø30 X 4000~6000MM DIA 30MM 30SiMnMOVA/30SiMn2MOVA YB481-80/ GB303-65/GB702-	KG	1140			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
65	Drawing NowQ003(03-10,11) <b>DIA 30MM</b> 30SiMnMOVA/30SiMn2MOVA YB481-80/ GB303-65/GB702-6 OR Hot Rolled Ø30 x4000-6000mm					
71	HRSQ ALLOY STRUCTURAL STEEL ANNEALED OR HOT ROLLOED DIA 36 X4000~6000MM DIA 35MM 30 SiMnMOVA/30 SiMn2MOVA YB481-80/ GB702-65  <b>DIA 35MM</b> 30 SiMnMOVA/30 SiMn2MOVA YB481-80/ GB702-65	KG	660			
72	HRSQ ALLOY STRUCTURAL STEEL DIA 52MM OR HOT ROLLED DIA 53 X 4000~6000MM 30CRNI3A-YB481-80/GB702-65  30CRNI3A-YB481-80/GB702-65	KG	2910			
73	HRSQ ALLOY STRUCTURAL STEEL RADIALY FORGED DIA 60 MM 30SiMnMOVA/30SiMn2MOVA YB481-80 GB702-65  <b>DIA 60 MM</b> 30SiMnMOVA/30SiMn2MOVA YB481-80 GB702-65 OR 32 CrMOV1210	KG	1840			
74	HOT ROLLED SUPER QUALITY CARBON STRUCTURE STEEL DIA 24MM 45B / 50B YB481-80/GB702-65  <b>DIA 24MM</b> 45B / 50B YB481-80/GB702-65 ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	10			
75	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL DIA 34MM 35 CRMNS1A YB481-80/GB702-65  <b>DIA 34MM</b> 35 CRMNS1A YB481-80/GB702-65	KG	230			
76	HRSQ CARBON STRUCTURAL STEEL DIA 55MM 50B-YB481-80 / GB702-65 <b>DIA 55MM</b> 50B-YB481-80 / GB702-65 ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	70			



**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
77	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL ALT. RADIALLY FORGED SIZE Ø 60X4000~6000MM 50B YB481-80/GB702-65  50B YB481-80/GB702-65  ii)50B-YB481-80 ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	660			
78	HRSQ ALLOY STRUCTURAL STEEL ALT. RADIALLY FORGED SIZE Ø 70X4000~6000MM 50B YB481-80/GB702-65  SIZE Ø 70X4000~6000MM  50B YB481-80/GB702-65  ii)50B-YB481-80 ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	3470			
79	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 38MM 35 / 45 GB699-65/GB702-65  DIA 38MM  35 / 45 GB699-65/GB702-65	KG	15			
80	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=3MM 15-IV-P-GB710-65/C-GB708-65  T=3MM  15-IV-P-GB710-65/C-GB708-65 BS 1449:Part 1:1972,CS 17 A	KG	15			
81	COLD ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=1.5MM 15-II-S-GB710-65/B-GB708-65  T=1.5MM  15-II-S-GB710-65/B-GB708-65 ALT. BS 1449: Part 1:1972, CS 17 A ALT. DIN 1652, GK 15 G	KG	35			
82	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=2 MM 25-III-P-GB710-65/C-GB708-65  T=2 MM  25-III-P-GB710-65/C-GB708-65 ALT. BS 1449: Part 1:1972, CS 30 A ALT. DEALS WITH BAR	KG	45			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
83	HRSQ CARBON STRUCTURAL STEEL SHEET T= 3MM 45-IV-P-GB710-65/B-GB708-65  T= 3MM 45-IV-P-GB710-65/B-GB708-65 45-III-P ALT. BS1449 Pt-I 1972 HS50 (Deal with Bars)	KG	270			
84	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL STRIP 2.5X40 MM 45-III-P-GB710-65/B-GB708-65  2.5X40 MM 45-III-P-GB710-65/B-GB708-65 ALT. 1449 Part 1:1972, CSA 50 ALT. DEALS WITH BARS	KG	20			
85	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=2.5 MM 40B-III-S YB481-80/B-GB708-65  T=2.5 MM 40B-III-S YB481-80/B-GB708-65 ALT. BS 1449: Part 1:1972, HS 40 ALT. DEALS WITH BAR	KG	35			
86	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=2.5 MM 50-III-P-GB710-65/GB708-65  T=2.5 MM 50-III-P-GB710-65/GB708-65 ALT. BS 1449: Part 1:1972, HS 50	KG	30			
87	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=3 MM 30-IV-P-GB710-65/C-GB 708-65  T=3 MM 30-IV-P-GB710-65/C-GB 708-65 ALT. BS 1449: Part 1:1972, CS 30 A ALT. DEALS WITH BAR	KG	25			
88	HRSQC STRUCTURAL STEEL SHEET ANNEALED T=3.5MM 35-III-S-GB710-65/C-GB708-65  T=3.5MM 35-III-S-GB710-65/C-GB708-65 ALT. BS 1449: Part 1:1972, CS 40 A ALT. DEALS WITH BAR	KG	750			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
89	HRSQ CARBON STRUCTURAL STEEL SHEET T= 4MM 35-III-S/35-III-P- GB-710-65/C-GB708-65  T= 4MM  35-III-S/35-III-P- GB-710-65/C-GB708-65	KG	10			
90	HOT ROLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=3 MM 45-III-P-GB710-65/C-GB708-65  T=3 MM  45-III-P-GB710-65/C-GB708-65  ALT. BS 1449: Part 1:1972, HS 50 ALT. DEALS WITH BAR	KG	10			
91	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=3 MM 45B-III-S-YB481-80/ C-GB708-65  T=3 MM  45B-III-S-YB481-80/ C-GB708-65  ALT. BS 1449: Part 1:1972, HS 50	KG	130			
92	HRSQCS STEEL SHEET ANNEALED T=4 MM 30-III-S-GB710-65/B-GB708-65  T=4 MM  30-III-S-GB710-65/B-GB708-65  ALT. BS 1449: Part 1:1972, CS 30 A ALT. DEALS WITH BAR 30-IV-S 30-IV-P	KG	1550			
93	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL SQUARE STEEL 12X12 MM 50B YB481-80/GB703-65  12X12 MM  50B YB481-80/GB703-65  ALT. BS 970:Part 1:1972, 080M50N ALT. Din 17200, CK 55 V+N	KG	10			
94	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL SQUARE STEEL 34X34 MM 50 GB699-65/GB703-65 OR 50B YB481-80  34X34 MM  50 GB699-65/GB703-65 OR 50B YB481-80  ALT. BS 970:Part 1:1972, 080M50N ALT. Din 1652, CK 45 K+N	KG	75			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

**SCHEDULE TO TENDER NO.      0006/FP/46/Pur/MGFy      DATED      24-DEC-16**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
95	HOT ROLLED ANNEALED SUPER QUALITY ALLOY STRUCTURAL SQUARE STEEL 20X20 MM 30CRMNMOTIA- YB481-80/GB703-65  <b>20X20 MM</b>  30CRMNMOTIA-YB481-80/GB703-65	KG	30			
96	HOT ROLLED ANNEALED SUPER QUALITY ALLOY STRUCTURAL SQUARE STEEL DIA 28X28 MM 30SiMnMOVA/30SiMn2MOVA YB481-80 GB703-65  <b>DIA 28X28 MM</b>  30SiMnMOVA/30SiMn2MOVA YB481-80 GB703-65	KG	100			
97	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL SQUARE STEEL 55X55 MM 50BA YB481-80/ GB703-65  <b>55X55 MM</b>  50BA YB481-80/      GB703-65	KG	720			
98	COLD DRAWN ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL STRIP 1.1 X 15MM 45-H-G-BQ-T YB207-65  <b>1.1 X 15MM</b>  45-H-G-BQ-T YB207-65  ALT. BS1449 Part 1:1972, CSA50 ALT. DEALS WITH BARS	KG	10			
99	COLD DRAWN ANNEALED SUPER QUALITY ALLOY STRUCTURAL STEEL DIA 7 MM 35CRMNSIA YB481-80 GB905-66  <b>DIA 7 MM</b>  35CRMNSIA YB481-80 GB905-66	KG	22			
100	COLD DRAWN SUPER QUALITY STRUCTURL HEXAGONAL STEEL S=11 MM ( ACROSS FLAT = 11 MM ) 50 YB194- 63/GB907-66 OR 45 YB194-63  <b>S=11 MM ( ACROSS FLAT = 11 MM )</b>  50 YB194-63/GB907-66 OR 45 YB194-63  ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	10			
101	CDSQ CARBON STRUCTURAL STEEL WIRE DIA 4MM X COIL 15 GB344-64	KG	25			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy

DATED 24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	<b>DIA 4MM X COIL</b> 15 GB344-64					
102	COLD DRAWN ANNEALED SUPER QUALITY SPRING STEEL STRIP 0.6X22 MMXCOIL 60SI2MNA-KH-G-T YB208-63  <b>0.6X22 MMXCOIL</b> 60SI2MNA-KH-G-T YB208-63 ALT. DIN 17222, 55 S1 G	KG	10			
103	COLD DRAWN ANNEALED SUPER QUALITY STEEL STRIP 2X18 MM X COIL 60 SI2MNA /YB208-63  <b>2X18 MM X COIL</b> 60 SI2MNA /YB208-63 ALT. DIN 17222, 55 S1 7 G	KG	20			
104	COLD ROLLED ANNEALED SPRING AND TOOL STEEL STRIP 2X25 MM X COIL T8A-P-BG-T YB208-63  <b>2X25 MM X COIL</b> T8A-P-BG-T YB208-63 ALT. BS 1449: Part 1: 1972 CS 80 A ALT. DIN 17222, MK 75 G	KG	62			
105	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 0.8MM GROUP-I YB248-64  <b>DIA 0.8MM</b> GROUP-I YB248-64	KG	10			
106	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 0.9MM X COIL GROUP-I YB248-64  <b>DIA 0.9MM X COIL</b> GROUP-I YB248-64	KG	10			
107	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 1.2MM X COIL GROUP-I, YB248-64  <b>DIA 1.2MM X COIL</b> GROUP-I, YB248-64	KG	10			
108	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 1.5 MM X COIL GROUP-I, YB248-64  <b>DIA 1.5 MM X COIL</b>	KG	30			

**PAKISTAN ORDNANCE FACTORIES**

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy DATED 24-DEC-16

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
GROUP-I, YB248-64						
109	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 1.6 MM X COIL GROUP-I, YB248-64  DIA 1.6 MM X COIL  GROUP-I, YB248-64	KG	70			
110	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 2MM III YB248-64  DIA 2MM  III YB248-64	KG	20			
111	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 3MM X COIL GROUP-I YB248-64  DIA 3MM X COIL  GROUP-I YB248-64	KG	10			
112	COLD DRAWN SUPPER QUALITY SPRING STEEL DIA 8.5MM 65 SI2 MN WA YB 682-77/GB 905-66  DIA 8.5MM  65 SI2 MN WA YB 682-77/GB 905-66  ALT. 17222, 66 S1 7 H+A	KG	370			

**(2) For Plant & Machinery:  
Specification:-**

- (3) Special Conditions**
- I) IN CASE, A FOREIGN FIRM IS DOING BUSINESS WITH POFs FOR THE FIRST TIME, T POINTS MUST BE ENSURED :-
- A) 100 % PAYMENT WILL BE MADE AFTER RECEIPT AND ACCEPTANCE OF STORE.
  - B) CREDENTIAL CERTIFICATE DULY VERIFIED BY EMBASSY OF PAKISTAN BEIJING CHINA
  - C) QUOTATION SHOULD BE ON C&F KARACHI BASIS, OTHERWISE SEA FREIGHT SHOULD BE SEPARATELY.
- 2) QUOTATIONS OF LOCAL FIRMS WILL BE ENTERTAINED ONLY IF ACCOMPANIED BY BID TENDER FEE AS PER EXISTING RULE.

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/46/Pur/MGFy DATED 24-DEC-16

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place \_\_\_\_\_  
Date \_\_\_\_\_

Signature of the Tenderer \_\_\_\_\_  
Name \_\_\_\_\_  
Postion \_\_\_\_\_  
Address \_\_\_\_\_  
Income Tax G.I.R. No \_\_\_\_\_