



POF 1262
(FOREIGN SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/FP/47/Pur/MGFy DATED 16-APR-18

You are requested to submit quotations for the items noted in the schedule to the tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 1230 hours on 29-MAY-18 and must reach this office on or before 1200 within the due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0006/FP/47/Pur/MGFy
Tender to be opened on: 29-MAY-18
Address as follows:-

MANAGING DIRECTOR

MACHINE GUN FACTORY

POF WAH CANTT

1.3 If envelope does not indicate reference of TEs or received late the same may be returned up-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

Contd.....P-2

2.2 **For Plant and Machinery**, you are required to quote in two parts:-

Part I "Technical Offer": It should exclusively give technical details and literatures/ brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/manufacturers.

2.9 Country of origin and port of shipment to be stated

2.10 The offer of the principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/despatch documents

2.12 If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E each offer shall be ignored.

3. INSPECTION

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.

3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Where required offer must accompany tender sample strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

4.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate of 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).

OR

- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

5. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc., if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(TANVEER AHMED)

MANAGER-PURCHASE-MGFY

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9314101-21-22194

Fax 0092-51-9314100

Telex

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/FP/47/Pur-MGFy

DATED

16-APR-18

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
1	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE DIA 14X1.5 MM 35-YB 231-70 DIA 14X1.5 MM 35-YB 231-70 ALT. BS 900:1950, CDS6 As drawn	KG	70			
2	HOT ROLLED SUPER QUALITY STRUCTURAL STEEL DIA 32MM 50B YB 481-80 GB 702-65 DIA 32MM 50B YB 481-80 GB 702-65	KG	310			
3	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE Ø 36X6 MM 35 YB231-70 Ø 36X6 MM 35 YB231-70 ALT. BS 900:1950, CDS 6 as drawn ALT. DIN 1652, CK 35 K + N	KG	1622			
4	HOT ROLLED SEAMLESS STEEL PIPE Ø114X15 X112 MM 45 YB231-64 YB 231-70 Ø114X15 X112 MM 45 YB231-64 YB 231-70	KG	483			
5	HOT ROLLED ANNEALED SEAMLESS STEEL PIPE Ø180 X14X102 MM 45 YB231-64 YB231-70 Ø180 X14X102 MM 45 YB231-64 YB231-70	KG	715			
6	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6.3 MM 50B YB481-80 GB905-66 DIA 6.3 MM 50B YB481-80 GB905-66	KG	85			
7	COLD DRAWN SUPER QUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 50 X 87 MM 45B / 50B YB481-80 50 X 87 MM 45B / 50B YB481-80 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	135			
8	COLD DRAWN SUPER QUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 12 X 24 MM 45B YB481-80	KG	30			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/47

DATED

16-APR-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	<p>12 X 24 MM</p> <p>45B YB481-80</p> <p>ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN</p> <p>ALT. DIN 1652, CK 45 K</p>					
9	<p>HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T= 5 MM 40 GB711-65/ GB709-65</p> <p>T= 5 MM</p> <p>40 GB711-65/ GB709-65</p> <p>ALT. BS 1449: Part 1: 1972 HS 40</p> <p>ALT. DEALS WITH BAR</p>	KG	665			
10	<p>COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8.5 MM 50B YB481-80/ GB905-66</p> <p>DIA 8.5 MM</p> <p>50B YB481-80/ GB905-66</p>	KG	4			
11	<p>COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 50B YB481-80/GB905-66</p> <p>DIA 10 MM</p> <p>50B YB481-80/GB905-66</p> <p>ALT. BS 970, Part:1:1972, 080M 50T</p> <p>ALT. DIN 17200, CK 55 V</p>	KG	548			
12	<p>COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8 MM 50Z YB481-80/ GB905-66</p> <p>DIA 8 MM</p> <p>50Z YB481-80/ GB905-66</p> <p>ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN</p> <p>ALT. DIN 1698, CK 45 K</p>	KG	45			
13	<p>COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8.5 MM 40 YB194-63/GB905-66</p> <p>DIA 8.5 MM</p> <p>40 YB194-63/GB905-66</p> <p>ALT. BS 970:Part 1:1972, 080M40 Cold drawn</p> <p>ALT. Din 1652, CK 35 K</p>	KG	30			
14	<p>COLD DRAWN SUPER QUALITY STRUCTURAL STEEL WIRE DIA 6.5 MM 40 YB194-63/ GB905-66</p> <p>DIA 6.5 MM</p> <p>40 YB194-63/ GB905-66</p>	KG	17			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/47

DATED

16-APR-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. BS 970:Part 1:1972, 080M40 Cold drawn ALT. Din 1652, CK 35 K					
15	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 50 YB194-63/GB905-66 OR 50B YB481-80 DIA 10 MM 50 YB194-63/GB905-66 OR 50B YB481-80 OR ALT. MAT. 50B-YB481-80 ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN ALT. DIN 1698, CK 45 K	KG	114			
16	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10.5 MM 50BA YB481-80/GB905-66 DIA 10.5 MM 50BA YB481-80/GB905-66 ALT. BS 970, Part:1:1972, 080M 50T ALT. DIN 17200, CK 55 V	KG	31			
17	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 32 MM 50-GB699-65/GB702-65 OR 50B-YB481-80 DIA 32 MM 50-GB699-65/GB702-65 OR 50B-YB481-80 ALLTERNATIVE 50B-YB 481-80 ALT. BS 970:Part 1:1972, 080M50 N ALT. Din 1652, CK 35 K + N	KG	1028			
18	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL DIA 38MM 50B YB481-80 / GB702-65 DIA 38MM 50B YB481-80 / GB702-65 ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	1070			
19	HOT ROLLED SUPER QUALITY CARBON TOOL STEEL DIA 12MM TI2A GB1298-77 / GB702-65 DIA 12MM TI2A GB1298-77 / GB702-65 ALT. Din 17222, MK 101 G	KG	126			
20	HOT ROLLED SUPER QUALITY CARBON TOOL STEEL DIA 23MM TI2A GB1298-77 / GB702-65 DIA 23MM TI2A GB1298-77 / GB702-65	KG	217			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/47

DATED

16-APR-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. Din 17222, MK 101 G					
21	HOT ROLLED SUPPER QUALITY CARBON STRUCTURAL STEEL DIA 32MM 45 GB699-65/GB702-65 DIA 32MM 45 GB699-65/GB702-65 ALT. BS 970, Part:1:1972, 080M46N ALT. DIN 1652, CK 45, K + N	KG	1934			
22	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 3MM 45-YB194-63/ GB905-66 DIA 3MM 45-YB194-63/ GB905-66 ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	6			
23	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 5MM 45 YB194-63/GB905-66 DIA 5MM 45 YB194-63/GB905-66 ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	100			
24	COLD DRAWN SUPER QUALITY STRUTURAL STEEL WIRE DIA 7MM 45 YB194-63/GB905-66 DIA 7MM 45 YB194-63/GB905-66 ALT. BS 970:Part 1:1972, 080M46 Cold drawn ALT. Din 1652, CK 45 K + N	KG	9			
25	HRSQ ALLOY STRUCTURAL STEEL ANNEALED OR HOT ROLLOED DIA 36 X4000~6000MM DIA 35MM 30 SiMnMOVA/30 SiMn2MOVA YB481-80/ GB702-65 DIA 35MM 30 SiMnMOVA/30 SiMn2MOVA YB481-80/ GB702-65	KG	1558			
26	HRSQ ALLOY STRUCTURAL STEEL RADIALY FORGED DIA 60 MM 30SiMnMOVA/30SiMn2MOVA YB481-80 GB702-65 DIA 60 MM SIZE= Ø 60mm x 3450mm 30SiMnMOVA/30SiMn2MOVA YB481-80 GB702-65 SIZE= Ø 60mm x 3450mm	KG	20143			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/47

DATED

16-APR-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
27	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL DIA 34MM 35 CRMNS1A YB481-80/GB702-65 DIA 34MM 35 CRMNS1A YB481-80/GB702-65	KG	530			
28	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL ALT. RADIALLY FORGED SIZE Ø 60X4000~6000MM 50B YB481-80/GB702-65 50B YB481-80/GB702-65 ii)50B-YB481-80 ALT. BS 970:Part 1:1972, 080M50 T ALT. Din 17200, CK 55 V	KG	2330			
29	COLD ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=1 MM 35-III-P GB710-65 B-GB708-65 T=1 MM 35-III-P GB710-65 B-GB708-65 ALT. BS 1449:Part 1:1972, CS 40 A	KG	396			
30	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=2MM 45-III-P GB710-65/B-GB708-65 T=2MM 45-III-P GB710-65/B-GB708-65 ALT. BS 1449: Part 1:1972, HS 50 ALT. DEALS WITH BAR	KG	12			
31	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL STRIP 2.5X40 MM 45-III-P-GB710-65/B-GB708-65 2.5X40 MM 45-III-P-GB710-65/B-GB708-65 ALT. 1449 Part 1:1972, CSA 50 ALT. DEALS WITH BARS	KG	190			
32	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=3MM 35-III-P GB710-65 C-GB708-65 T=3MM 35-III-P GB710-65 C-GB708-65 ALT. BS 1449: Part 1:1972, CS 40 A ALT. DEALS WITH BAR	KG	158			
33	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL SQUARE STEEL 55X55 MM 50BA YB481-80/ GB703-	KG	2631			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/47

DATED

16-APR-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
65	55X55 MM 50BA YB481-80/ GB703-65					
34	HRSQCS STEEL OR RADIALY FORGED. 100 X 100 MM 50BA YB481-80/GB703-65 OR 50B YB 481-80 100 X 100 MM 50BA YB481-80/GB703-65 OR 50B YB 481-80 ii) 50B-YB481-80	KG	22517			
35	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 0.5MM X COIL GROUP-I YB248-64 DIA 0.5MM X COIL GROUP-I YB248-64	KG	2			
36	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 1.5 MM X COIL GROUP-I, YB248-64 DIA 1.5 MM X COIL GROUP-I, YB248-64	KG	21			
37	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE DIA 3MM X COIL GROUP-I YB248-64 DIA 3MM X COIL GROUP-I YB248-64	KG	15			
38	COLD DRAWN SUPPER QUALITY SPRING STEEL DIA 8.5MM 65 SI2 MN WA YB 682-77/GB 905-66 DIA 8.5MM 65 SI2 MN WA YB 682-77/GB 905-66 ALT. 17222, 66 S1 7 H+A	KG	555			

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/FP/47/Pur-MGFy DATED 16-APR-18

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____