



POF 1262-A  
INDIGENOUS SUPPLIES

**Government of Pakistan  
PAKISTAN ORDNANCE FACTORIES  
TENDER ENQUIRY**

To

\_\_\_\_\_

\_\_\_\_\_

Dear Sir,

REFERENCE: TENDER ENQUIRY #. 0036-LP-CMC-48-Pur-B, DT. 20-7-2017

You are requested to submit sealed quotations for the item(s) noted on the schedule to the Tender. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

1.1 Tenders will be opened at 1230 hours on 22-8-2017 and must reach this office on or before 1200 hours upto due date. The tender received late will not be entertained. You may witness the opening on the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelop. The outside of the envelop should be inscribed with:-

**Tender Enquiry No:** 0036-LP-CMC-48-Pur-B, DT. 20-7-2017

**Tender to be opened on:** 22-8-2017

**Address as follows:-**

\_\_\_\_\_

G.M.-PURCHASE-I

\_\_\_\_\_

POF WAH CANTT.

\_\_\_\_\_

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS:**

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the schedule which shall form Quotation. You may use separate sheet if necessary.

2.2 For plant and machinery, you are required to quote in two parts:-  
Part I "Technical Offer. It should exclusively give technical details and literature/brochures of the offered plant, machinery and equipment; validity date; delivery schedule and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Contd...P/2

**POF-1262-A**

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-
 

F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

**Free delivery at Central Stores POF Wah Cantt.**

In this case Octroi duty if any, will be payable by the supplier.
- 2.8 Taxes and Duties etc. where applicable must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date the offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate may be rejected.
- 2.11 If the requisite information is not furnished on the T.E forms or offer received is not in conformity with the requirement of T.E such offer shall be ignored.
- 2.12 The supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, along with dispatch documents.

**3. INSPECTION**

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd.....P/3

POF-1262-A

**4. TENDER FEE**

The tender must be accompanied by a non-refundable fee by means of a crossed postal order/pay order for Rs 500/- in favour of Director Admin POFs Wah Cantt.

**5. BID MONEY**

- 5.1 Bid Money at the rate of 2% (for firms registered with POF) and 5% (for un-registered firms) of the quoted value, should accompany the tender in the shape of Deposit At Call Receipt., from a scheduled Bank drawn in favour of:-

**“General Manager-Purchase-I, POF Wah Cantt.”**

Tenders received without Bid Money will be rejected.

- 5.2 Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.
- 5.3 State owned organizations are not required to provide Bid Money.

**6. ACCEPTANCE OF OFFERS**

- 6.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

**6.2 PERFORMANCE BOND**

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of the contract amount in the form of a Deposit at Call Receipt from a scheduled Bank or an un-conditional Bank Guarantee on the prescribed format. The Performance Bond will be in favour of **C.M.A., Wah Cantt** and will be returned on satisfactory completion of the contract:-
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expenses of the Supplier.

Cont'd.....P/4

POF-1262-A

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 **FAILURE TO SUPPLY THE STORES:**

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his description, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value; or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 **PAYMENT**

Payment will be made by the C.M.A. through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

7. **SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it. Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc.if any, enclosed herewith - even if you are unable to quote.

Yours faithfully

**Tele No. 9314101-21/22126**  
**Fax No. 0519271400, 0596-2995**

MANAGER -PURCHASE-I

Copy to:-

1. G.M.-Inspection
2. Manager-CMC
3. Manager- SCM (Coord)
4. Manager-A-30-Tool Room-AA
5. Rep of FIU-Rabita Hall

**SCHEDULE TO TENDER NO. 0036-LP-CMC-48-Pur-B, DT. 20-7-2017**

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price per unit FOR or free delivery(Rs)		(6) Delivery Date
				In Figure	In Words	
1.	STEEL ALLOY ROUND OIL HARDENING 2.5% NI. CR. MO. DIA : 150 MM BS-970-PT-1, 1983 (826 M31)	KG	190			Within 03 months after issuance of contract.
2.	STEEL 5% CR V-MO HOT WORK DIA :145 MM. GERMAN MAT. NO. 1.2344 X 40 CR, MO, V-51 AISI H-13	KG	1050			-do-
3.	STEEL MILD SHEET/PLATE 50MM X 1220MM X 2440MM BS-4360/1986 G 43-A	KG	754			-do-
4.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 3/4" (20 MM) DIA X 10 MTR LONG MIN. BS-4360/1986, G-43 A	KG	2653			-do-
5.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 1" (25 MM) DIA X 10 MTR LONG MIN. BS-4360/1986, G-43 A	KG	1370			-do-
6.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 1-1/4" (32 MM) DIA X 10 MTR LONG MIN. BS-4360/1986, G-43 A	KG	1147			-do-
7.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 2"(50.8 MM) DIA BS-4360/1986, G-43 A	KG	2160			-do-
8.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 2-1/2" (64 MM) DIA X 10 MTR LONG MIN. BS-4360/1986, G-43 A	KG	1150			-do-
9.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL 3-1/4" (85 MM) DIA X 10 MTR LONG MIN. BS-4360/1986, G-43 A	KG	1456			-do-
10.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL SIZE:- 100 MM (04") 4" (100MM) DIA X 10 MTR LONG MIN. BS-4360/1986 G-43 A	KG	870			-do-
11.	STEEL MILD ROUND WELDABLE STRUCTURAL STEEL SIZE:- 08" (200 MM) 8" (200 MM) DIA X 6 MTR LONG MIN. BS-4360/1986 G-43 A	KG	1650			-do-
12.	1% CARBON STEEL WATER HARDENING ROUND 1" (25MM) 3 MTR LONG MIN. GERMAN MAT NO. 1.1545 DESIGN C-105 WI	KG	542			-do-
13.	1% CARBON STEEL WATER HARDENING ROUND 35MM X1 MTR LONG IN LIEU OF 3 MTR GERMAN MAT 1.1545 C105 DIN DESIGN CW1	KG	950			-do-
14.	1% CARBON STEEL WATER HARDENING ROUND DIA 2" (50MM) X 3 MTR LONG MIN. GERMAN MAT NO.1.1545 DESIGN C-105-W1	KG	853			-do-
15.	1% CARBON STEEL WATER HARDENING ROUND 2-1/4"(58MM) DIA X 3MTR LONG MIN GERMAN MAT NO. 1.1540 C-100 WI	KG	825			-do-

16.	1% CARBON STEEL WATER HARDENING ROUND 160MM DIA X 3 MTR LONG MIN. GERMAN MAT 1.1545,DIN DESIGN C-105	KG	740		-do-
17.	3% NI-CR STEEL CASE HARDENING ROUND 1-1/2"(38MM) GERMAN MAT NO. 1.5752	KG	865		-do-
18.	STEEL ROUND CASE HARDENING 3% NI- CR DIA : 250 MM. GERMAN MAT.NO.1.5752 14NI-CR14	KG	870		-do-
19.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT (Cold work steel) 4"X5/16" (100X10MM) X 3 MTR LONG. MIN.GERMAN MAT NO. 1.2842, 90 MN V 8 NEAREST EQ AISI: 02	KG	500		-do-
20.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT (COLD WORK STEEL) 4"X5/8" (100X16MM) X 3 MTR LONG. MIN GEREMAN MAT NO. 1.2842 90 MN V-8 NEAREST EQ. AISI-02.	KG	700		-do-
21.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT 6"X7/8" (150X25MM) GERMAN. MAT 1.2842 DIN DESIGN 90MN V8 NEAREST EQ. AISI-02.	KG	731		-do-
22.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT (COLD WORK STEEL) 6"X1-1/4" (150X30MM) X 3MTR LONG GERMAN MAT NO. 1.2842,90 MN / V8 NEAREST EQ. AISI-02	KG	350		-do-
23.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT 3"X1-1/2" (80X40MM) GERMAN MAT 1.2842 90 MN /V 8 NEAREST EQ AISI : 02	KG	685		-do-
24.	NON-SHIRINKING MN STEEL OIL HARDENING FLAT (COLD WORKS STEEL) 4"X2" (100X50MM) X 3 MTR MIN. GERMAN MAT 1.2842 90 MN V8 NEAREST EQ. AISI-02.	KG	700		-do-
25.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 9/16" (14MM) X 3 MTR LONG MIN. GERMAN MATNO. 1.2842, 90 MN V8, NEAREST EQ. AISI 02	KG	492		-do-
26.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 13/16" (21MM) X 3 MTR LONG MIN. GERMAN MAT 1.2842, 90 MN -V8, NEAREST EQ. AISI 02	KG	770		-do-
27.	NON-SHIRINKING MN STEEL O/ H ROUND (COLD WORK STEEL) 1-3/8" (35MM) X 3 MTR LONG MIN. GERMAN MAT 1.2842, 90 MN / V 8 Nearest Eq AISI : 02	KG	685		-do-
28.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 1-7/8" (48MM) X 3 MTR LONG MIN. GERMAN MAT 1.2842, 90 MN / V 8, NEAREST EQ. AISI -02	KG	351		-do-
29.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 2-1/8" (55MM) DIA X 3 Mtr Long. GERMAN MAT1.2842 90 MN / V 8	KG	640		-do-
30.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 2-1/2" (64MM) X 3 MTR LONG MIN. GERMAN MAT NO 1.2842, DESIGN-90 MN-V8 NEAREST EQ. AISI=02	KG	1080		-do-

31.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 3-1/4" (80 - 85 MM) X 3 MTR LONG MIN.GERMAN MAT NO. 1.2842, 90 MN CR V 8, NEAREST EQ. AISI 02	KG	917		-do-
32.	NON SHRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 3-3/4" (95MM) DIA X 3 MTR LONG MIN. GERMANY MAT NO 1.2842, DESIGN-90 MN-V8 NEARST EQ -AISII-02	KG	550		-do-
33.	NON SHRINKING MN STEEL O/H ROUND (COLD WORKS STEEL) 4-1/5" (105 MM) DIA X 3 MTR LONG MIN. GERMIN MAT NO. 1.2842, DIN DESIGN 90 MN- V8, NEAREST EQ. AISI 02	KG	606		-do-
34.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 6-1/4" (160MM) X 3 MTR LONG MIN. GERMANY MAT.1.2842, 90 MN- V8, NEAREST EQ. AISI 02	KG	868		-do-
35.	NON-SHIRINKING MN STEEL O/H ROUND (COLD WORK STEEL) 185MM X 3 MTR LONG MIN. GERMANY MAT.1.2842, 90 MN V8, NEAREST EQ. AISI 02	KG	790		-do-
36.	NON-SHIRINKING MN STEEL OIL HARDENING SQUARES 2-1/4" (60MM) GERMANY. MAT NO. 1.2842 DIN DESIGN 90MN V8 NEAREST EQ. AISI-02.	KG	518		-do-
37.	STEEL ROUND BALL BEARING 1%C 1%CR DIA 26 MM(1") GERMANY MAT -1.2060	KG	294		-do-
38.	1%C, 1% CR BALL BEARING STEEL ROUND COLD WORK STEEL 4-1/4" (110 MM) DIA X 5 MTR LONG MIN. GERMANY MAT NO. 1.2060 105CR5 NEAREAST EQ.AISI-52100	KG	1050		-do-
39.	1% C, 1% CR BALL BEARING STEEL (COLD WORK STEEL) SIZE: 21 MM DIA DIN 1.2060 GERMANY MAT NO. 1.2060	KG	1000		-do-
40.	2%C, 12%CR STEEL (H.D.S) ; O.H. FLAT 3"X1/2"(80X12MM) GERMANY MAT 1.2436 X 210 CR W 12	KG	145		-do-
41.	2%C, 12%CR STEEL (H.D.S) ; O.H. FLAT 6"X1/2"(150X12MM) GERMANY MAT 1.2436 X 210 CR W 12	KG	140		-do-
42.	2%C, 12%CR STEEL (H.D.S) ; O.H. FLAT 3"X1-1/4"(80X30MM) GERMANY MAT NO. 1.2436 X 210 CR W 12	KG	200		-do-
43.	2%C, 12%CR STEEL (H.D.S) ; O.H. FLAT 8"X1-1/4"(200X30MM) GERMANY MAT NO. 1.2436 X 210 CR W 12	KG	182		-do-
44.	2 %C 12% CR STEEL (HDS) OH FLAT 3-1/2" X 1-3/8" (90X 40 MM) GERMANY MAT NO. 1.2436 X 210 CR W 12	KG	300		-do-
45.	2%C, 12%CR STEEL (HDS) OH FLAT 4" X 1-38/" (100 X40MM) GERMANY MAT NO. 1.2436 X 210 CR W 12	KG	300		-do-
46.	2%C, 12%CR STEEL H.D.S; O.H. ROUND DIA 1-1/2"(38MM) X 3MTR LONG GERMANY MAT NO. 1.2436 X 210 CR W 12	KG	400		-do-

47.	2%C, 12%CR STEEL H.D.S; O.H. ROUND 2-1/2" (64MM) GERMAN MAT NO. 1.2436 X 210 CR W 12	KG	473		-do-
48.	2%C, 12%CR STEEL H.D.S; O.H. ROUND 4" (100 -105MM) GERMAN MAT NO.1.2436 X 210 CR W12	KG	503		-do-

(2) For plant and machinery:  
Specification:-

(3) Special Conditions: -

- i) Rate and sales tax must be shown separately. Otherwise your quoted rates will be considered inclusive of GST.
- ii) Offer without Bid Money and Tender Fee may not be considered.
- iii) Date and stamp of the postal order must be visible.
- iv) PTC issued by Punjab Province must be provided.
- v) Unregistered firms are required to provide Annexure-A duly filled signed and stamped along with quotation.
- vi) Status of your firm with POF (registered/un-registered) should be mentioned in your offer. Registered firms are required to provide copy of valid registration letter with POF.
- vii) Grand total of offer must be mentioned in your quotation.
- viii) a. Only registered suppliers (with Sales Tax & Income Tax Deptt.) who are on Active Taxpayers List (ATL) of FBR are eligible to supply good/services to Government departments.  
b. The payment to the registered persons may be linked with the active taxpayer status of the suppliers as per FBR database. If any registered supplier is not in ATL his payment should be stopped till he files his mandatory returns and appears on ATL of FBR.
- ix) Technical Literature alongwith chemical composition of offered items must be provided at the time of bid (competitive) submission.
- x) Final inspection / acceptance of store will be made on successful functional trials alongwith Chemical and mechanical testing as per procedure in vogue.
- xi) Supplied Store must be as per tendered specification.

(4) **Undertaking**

Should our offer be accepted, we hereby undertake to supply the store/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the store/services elsewhere at our risk and cost.

Place \_\_\_\_\_  
Date \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Signature of the tenderer \_\_\_\_\_  
Name \_\_\_\_\_  
Position \_\_\_\_\_  
Address \_\_\_\_\_  
Income Tax G.I.R. No. \_\_\_\_\_  
Official Stamp \_\_\_\_\_



Annexure-A  
**SUPPLIER'S CAPABILITY**

1. NAME OF THE FIRM: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
\_\_\_\_\_
  - 2.1- TELE:NO: \_\_\_\_\_
  - 2.2- FAX NO: \_\_\_\_\_
  - 2.3- E.MAIL ADDRESS: \_\_\_\_\_
  2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP  
OR SOLE PROPRIETORSHIP: \_\_\_\_\_
  3. ESTABLISHED SINCE: \_\_\_\_\_
  4. CAPACITY: (Manufacturer / Stockist/Agent to foreign Firm): \_\_\_\_\_
  5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS:
    - 5.1- RANGE OF PRODUCTS MANUFACTURED: \_\_\_\_\_
    - 5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS:  
(Attach separate sheet if required):  
\_\_\_\_\_
  6. INSPECTION/QUALITY ASSURANCE FACILITIES: \_\_\_\_\_
  7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
  8. IF STOCKIST, PROVIDE FOLLOWING:-
    - 11.1- DETAILS OF STOCKS HELD:- \_\_\_\_\_
    - 11.2- APPROX. STOCK VALUE \_\_\_\_\_
    - 11.3- LOCATION OF STOCKS: \_\_\_\_\_
- ORGANISATIONAL DETAILS.**
9. WHETHER THE FIRM IS REGISTERED WITH THE FOLLOWING DEPTTS.  
(Give registration No., Date and attach copies of the necessary documents).  
\_\_\_\_\_  
\_\_\_\_\_
    - 10.1 DP/ARMY OR ANY GOVT./SEMI GOVT. DEPTT: \_\_\_\_\_
    - 10.2- IMPORT TRADE CONTROL DEPTT: \_\_\_\_\_
    - 10.3- SALES TAX DEPTT: \_\_\_\_\_
    - 10.4- INCOME TAX DEPTT: \_\_\_\_\_  
FINANCIAL
- STATUS: \_\_\_\_\_  
(Bank certificate to be attached)

Signature \_\_\_\_\_

Name: \_\_\_\_\_

Stamp

Position: \_\_\_\_\_