

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

Dear Sirs,

Reference: TENDER ENQUIRY NO.0082-LP-CMC-46-PD, DT. 12.05.2018

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender: -

1. SUBMISSION OF TENDER

1.1) Tenders will be opened at 1230 Hours on 28.06.2018 and must reach this office on or before 1200 hours upto the date of opening of Tenders. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2) Only one tender should be included in one envelope. The outside of the envelope should be inscribed with: -

Tender Enquiry No: 0082-LP-CMC-46-PD, DT. 12.05.2018

Tender to be opened on: 28.06.2018.

Address as follows:

DY.DIRECTOR SCM - II
POF WAH CANTT.

1.3) If envelope do not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1) For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2) For Plant and Machinery, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

||| N.A.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3) The Quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4) The Quotation should hold good for any reduced or enhanced quantities without notice.

2.5) In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6) Conditional Offer or alternative offers are likely to be ignored.

2.7) Quotations should be based on: -

Free Delivery at POF's stores at Central Stores POF WAH CANTT.

In this case Octopi duty will be payable by the supplier.

2.8) Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without clarifications and inclusive of Taxes and Duties may be ignored.

2.9) Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.

2.10) "Suppliers will furnish a certificate, issued by Excise & Taxation deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11) If the requisite information is not furnished on the T.E. forms or offer received in not conformity with the requirement of T.E. such offer shall be ignored.

2.12) Supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/dispatch documents.

3. INSPECTION

3.1) Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the suppliers in accordance with the relevant specifications.

3.2) Where considered necessary, by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, with in a specified time.

4. TENDER FEE

The tender must be accompanied by a non-refundable fee Rs.500/- by means of a crossed postal order / Pay order in favour of Director Admin POFs Wah Cantt.

TENDER SAMPLE

4.1) Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

5.1) Bid Money at the rate of 2% (for registered firms with POF) & 5% (For un-registered firms with POF) of the quoted value, should accompany the tender in the shape of Deposit at Call Receipt/Pay order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

DY. DIRECTOR SCM - II, POFs, WAH CANTT.

Tenders received without Bid Money will be rejected.

5.2) Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3) State owned organizations are not required to provide Bid Money.

6. ACCEPTANCE OF OFFERS

6.1) POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2) Performance Bond:

(a) The successful bidders shall provide performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of the contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The performance bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for Purchase of the stores at the risk and expense of the supplier.

6.3 PERFORMANCE BOND from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or Claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the C.M.A.-(POFs) through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

6.5(a) Payment of duties / Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned GOVT. Taxation Deptt.

7. SECURITY OF INFORMATION

The tendered and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Sincerely,

(NAHEED AKHTER)
A.M-PURCHASE-II (A)

Tele : 051-9314101-21/22036
 : 051-9055-22036
Fax : 051-9271400
Email: mma.ddpii@yahoo.com

PAKISTAN ORDNANCE FACTORIES

SCHEDULE OF TENDER ENQUIRY # 0082-LP-CMC-46-PD, DT. 12.05.2018 OPENED ON 28-06-18

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	Qty.	A/U	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
Indent No. 0037/LP/CMC/46 DT. 27-02-2015 (items # 06, 08,10 &11) Indent No. 0054/LP/CMC/45 DT. 13-06-2014 (items # 07)						
1/6 + 07	BUSH BRASS HEXAGONAL EXTERNALLY SCREWED 3/4" (20 MM) BSS-4568/PT-II-1970, STANDARD SHEET NO.8	NO	130 + 130 = 260			IMMEDIATE
2/8	CABLE PVC INSULATED PVC SHEATHED, TWIN CORE,FLAT SOLID. (PACKING OF 100 MTR ROLL) 2X1.5MM2 ,300/ 500 VOLTS BSS-6004/1984, 6500/1984, 6360 /1981 W/G & TEST CERTIFICATE	METER	1000			IMMEDIATE
3/10	CABLE STEEL WIRE ARMOURED 2-CORE PVC INSULATED& PVC SHEATHED (STRANDED COPPER CONDUCTOR) 2X1.5MM2, (3/.036") - 600/1000 VOLTS FULL LENGTH ON A DRUM. BSS-6346 / 1987 W/G & TEST CERTIFICATE	METER	154			IMMEDIATE
4/11	CABLE STEEL WIRE ARMOURED 3-CORE PVC INSULATED& PVC SHEATHED (STRANDED COPPER CONDUCTOR) 3X1.5MM2, (3/.036) - 600/1000 VOLTS FULL LENGTH ON A DRUM. BSS-6346 / 1987 W/G & TEST CERTIFICATE	METER	400			IMMEDIATE
Indent No. 0041/LP/CMC/46 DT. 03-03-2015 (items # 07) Indent No. 0054/LP/CMC/45 DT. 13-06-2014 (items # 10)						
5/7 + 10	L.T. CABLE BITUMEN BASED COMPOUND CLASS-II 1 TIN = 10 KG BSS-1858/1973 W/G & TEST CERTIFICATE	KG	105 + 105 = 210			IMMEDIATE
Indent No. 0054-LP-CMC-45 DT. 13-06-2014 (Item No. 04, 08, 09, 25, 26, 35,36,37, 38, 54,55,56,57,58,59,60,61,62,63,64,65,66,67,68, 69, 72, 76, 78 & 84) Indent No. 0082/LP/CMC/46 DT. 09-05-2015 (items # 01, 02, 03, 04, 05 &07) Indent No. 0081/LP/CMC/46 DT. 09-05-2015 (items # 09) Indent No. 0084/LP/CMC/46 DT. 09-05-2015 (items # 07*)						
06/4	BOXES ADOPTER & COVER 4"X4"X2" - (100X100X50 MM) BSS-4568/PT-II-1970 (CLASS-2)	NO	4			IMMEDIATE
07/8	185C GLASS FIBRE INSULATED CABLE 300/300 VOLTS TWISTED TWIN CORE 4 MM SQR. (7/.036") BSS-6141/1981-TABLE-18	METER	200			IMMEDIATE
08/9	185C GLASS FIBRE INSULATED CABLE 300/300 VOLTSSINGLE CORE 1.5 MM SQR. (3/.029") BSS-6141/1981-TABLE-18	METER	320			IMMEDIATE
09/25	ALKALINE MANGANESE DURA CELL ULTRA, CAN STYLE PP3 VOLTAGE 9 V, DIMENSION 48.5 X 26.5 X 17.5 MM PP3 9V	NO	10			IMMEDIATE
10/26	BATTERY CELL (BUTTON TYPE) FOR DIGITAL VERNIER CALLIPER 1.5 V SR. NO 44	NO	24			IMMEDIATE
11/35	CONNECTOR PORCELAIN 5 AMP, 2 WAY CONFORMING TO GEC FIG. NO.C-7041	NO	170			IMMEDIATE
12/36	CONNECTOR PORCELAIN 5 AMP, 3 WAY CONFIRMING TOGEC FIG. NO.C-7041	NO	120			IMMEDIATE
13/37	CONNECTOR PORCELAIN 15 AMP, 2 WAY CONFIRMING TO GEC FIG. NO. C-7041	NO	114			IMMEDIATE
14/38	REVERSIBLE CONNECTOR PORCELAIN 15 AMP, 3 WAY CONFIRMING TO GEC FIG. NO. C-7041	NO	50			IMMEDIATE

15/54	UN-LOADED EBONITE ROD 1/2" DIA - (12 MM), BSS- 234/1971	KG	10		IMMEDIATE
16/55	UN-LOADED EBONITE ROD 3/4" DIA - (20 MM) BSS-234/1971.	KG	130		IMMEDIATE
17/56	UN-LOADED BLACK EBONITE ROD 1" DIA - (25 MM) BSS-234/1971	KG	40		IMMEDIATE
18/57	UN-LOADED BLACK EBONITE ROD 1-1/4" DIA-(32MM) BSS-234/1971	KG	107		IMMEDIATE
19/58	TUFNAL ROD BROWN DIA - 25 MM BSS- 6128/1981-PT- 8 & 9	KG	35		IMMEDIATE
20/59	TUFNAL ROD 1-1/2" (40 MM) DIA BSS- 6128/1981-PT- 8 & 9 .	KG	40		IMMEDIATE
21/60	TUFNAL ROD 2" (50 MM) DIA BSS- 6128/1981-PT- 8 & 9	KG	40		IMMEDIATE
22/61 + 9	INDUSTRIAL LEMINATED ROD BASED ON THERMOSETTING PHENOLIC RESIN PAPER/COTTON(TUFNOL ROD) 4"(100 MM) DIA BSS-6128/1981-PT- 8 & 9	KG	20 + 20 = 40		IMMEDIATE
23/62	S.B. SADDLE 3/4"X 1 WAY (20 MM X 1 WAY) BSS-4568/PT- II /1970	NO	90		IMMEDIATE
24/63 + 1	UN-LOADED BLACK EBONITE SHEET 1220X1220X6MM THICK BSS-234/1971	KG	27 + 54 = 81		IMMEDIATE
25/64 + 2	UN-LOADED BLACK EBONITE SHEET 1220X1220X12MM THICK BSS-234/1971	KG	104 + 204 = 308		IMMEDIATE
26/65 +3	UN-LOADED BLACK EBONITE SHEET 1220 X 1220 X20MM THICK BSS-234/1971	KG	10 + 10 = 20		IMMEDIATE
27/66 + 4	UN-LOADED BLACK EBONITE SHEET 1220X1220X25MM THICK BSS-234/1971	KG	10 + 10 = 20		IMMEDIATE
28/67 + 5	FIBRE SHEET VULCANIZED 1220X1830X0.8 MM (1/32") THICK BSS-216/1961 GD-A, BSS-6091/PT-1/1981, 6091/PT- 11/1987	KG	20 + 25 = 45		IMMEDIATE
29/68 + 7	FIBRE SHEET VULCANIZED 1220X1830X3MM (1/8") THICK (10 KG / SHEET APPROX) BSS-216/1961 GD-A, BSS-6091/PT-1/1981, 6091/PT-11/1987	KG	08 + 45 = 53		IMMEDIATE
30/69	SHEET LEATHEROID 0.178MM THICK X 915MM WIDE BSS-2768/1956,BSS-6091/PT-I(1981)& PT-II(1987)	KG	13		IMMEDIATE
31/72	SLEEVE VARNISHED COTTON (EMPIRE) 2MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	METER	599		IMMEDIATE
32/76	STEEL TRUNKING 4"X4"X6' LONG (100X100X1800 MM) BSS-4678/PT-I/1971 (1979), CLASS-13	NO	10		IMMEDIATE
33/78	WIRE COPPER HARD DRAWN 6 SWG, (4.9 MM DIA) BSS-125/1954/1970	KG	5		IMMEDIATE
34/84 + 7*	TORCH HAND 3 CELL BODY M.S. NICKLE PLATED (BRAND: SWAN OR SEA GULL). BSS-3720/1964	NO	3 + 6 = 9		IMMEDIATE

Indent No. 0055-LP-CMC-45 DT. 14-06-2014(Item # 13,16, 18, 23,24,25, 26, 28, 31, 32, 34, 35, 37,38,39,40,41,42,43, 44)

Indent No. 0076/LP/CMC/45 DT. 08-05-2015 (items # 04 & 11)

Indent No. 0077/LP/CMC/46 DT. 08-05-2015 (items # 02, 03 & 05)

Indent No. 0081/LP/CMC/46 DT. 09-05-2015 (items # 08)

Indent No. 0082/LP/CMC/46 DT. 09-05-2015 (items # 06 &10)

Indent No. 0083/LP/CMC/46 DT. 09-05-2015 (items # 08*)

35/13 + 4	BITUMEN BASED COMPOUND CLASS-III (FOR H.T.CABLES) (PACKING: 10 KG PER TIN) BSS-1858/1973	TIN	111 + 111 = 222		IMMEDIATE
36/16	LAMP HOLDER BRASS, ANGLE TYPE B.C. (B-22) (BRAND:- BUSH,SEVEN STAR, P.P.I, HERO). BSS-52/1963 & BSS: 5042/1987	NO	2918		IMMEDIATE
37/18	M.C.B. DISTRIBUTION BOARD TP&N HAVING SP.MCBS BREAKING CAPACITY 5 K.A. (POWER) 15 AMP, 2 WAY BSS-5486/ PT-12/1979	NO	63		IMMEDIATE
38/23 + 8	INDUSTRIAL LEMINATED ROD BASED ON THERMOSETTING PHENOLIC RESIN PAPER/COTTON(TUFNOL ROD) 3" (75 MM) DIA BSS-6128/1981-PT- 8 & 9	KG	40 + 40 = 80		IMMEDIATE
39/24 + 6	FIBRE SHEET VULCANIZED 1220X1830X1.58 MM (1/16") THICK (5 KG/SHEET APPROX) BSS-216/1961 GD-A, BSS-6091/PT-1/1981, 6091/PT-11/1987	KG	57 + 47 = 104		IMMEDIATE
40/25 + 10	SHEET FILM LEATHEROID 0.010"(0.25 MM) THICK X 36" WIDE BSS-2768/1956,BSS-6091/PT-I(1981)& PT-II(1987)	KG	135 + 15 = 150		IMMEDIATE

41/26	SANDONIUM SHEET, UN IMPREGNATED ASBESTOS CEMENT BOARD FOR ELECTRICAL PURPOSES 4'X3'X1/8" THICK (1200X900X3MM THICK) BSS-3497/1979	SHEET	56		IMMEDIATE
42/28	IRON CLAD SWITCH FUZE TP & N (WITH HRC FUZE) WITHOUT INDICATING DEVICE 16 AMP, 500 - 660 VOLT (BRAND FICO,MEFCO,SIEMENS, BSS-5419/1977 & CEE STANDARD SPEC. 1983, W/G CERTIFICATE FOR HRC FUZES BSS-88-PT-I-1988 BSS-88 SEC-2.2, 1988 BSS-88-PT-4 & 5, 1988	NO	23		IMMEDIATE
43/31 + 11	TAPE COTTON BASE WITH OIL RESISTING COMPOUND IMPREGNATED (G-514) (EACH ROLL CONSIST OF 18 MTR) 20MM WIDE X 18 MTR LONG X 0.5MM THICK, 3 ROLL/TIN BSS-5689/1979, PT-I	TIN	140 + 87 = 227		IMMEDIATE
44/32 +8*	TAPE COTTON BASE WITH BITUMEN IMPREGNATED (G-516) (EACH ROLL CONSIST OF 18 MTR) 20MM WIDE X 18 MTR (3 ROLLS/TIN) BSS-5689/1979, PT-I	TIN	170 + 111= 281		IMMEDIATE
45/34	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 2.00 MM DIA (14 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	135		IMMEDIATE
46/35	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 1.02 MM DIA (19 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	92		IMMEDIATE
47/36	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.91 MM DIA (20 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	112		IMMEDIATE
48/37 + 2	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 1.81 MM DIA (21 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	79 + 254 = 333		IMMEDIATE
49/38	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.71 MM DIA (22 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	117		IMMEDIATE
50/39 + 3	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.60 MM DIA (23 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	120 + 73 = 193		IMMEDIATE
51/40	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.56 MM DIA (24 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	46		IMMEDIATE
52/41	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.50 MM DIA (25 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	65		IMMEDIATE
53/42	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.315 MM DIA (30 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	178		IMMEDIATE
54/43 + 5	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.28 MM DIA (32 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	97 + 127 = 224		IMMEDIATE
55/44	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 0.300 MM DIA (31 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	75		IMMEDIATE

Indent No. 0077/LP/CMC/46 DT. 08-05-2015 (01, 04, 08 & 09)

56/1	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND: GAZILEX, PAK OR MILLAT) 1.42 MM DIA (17 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	130		IMMEDIATE
57/4	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND:GAZILEX,PAK OR MILLAT) 0.376 MM DIA (28 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-2	KG	75		IMMEDIATE
58/8	WIRE NICHROME 1.22 MM DIA (18 SWG) RATIO:NICKLE 80%, CHROMIUM 20%	KG	13		IMMEDIATE
59/9	WIRE NICHROME (MAXIMUM WEIGHT 1 KG / REEL) 0.91 MM DIA (20 SWG) RATIO: NICKLE 80%, CHROMIUM 20%	KG	30		IMMEDIATE

Indent No. 0078-LP-CMC-46 DT. 09-05-2015 (02, 07 & 08)					
60/2	CABLE STEEL WIRE ARMoured TWIN CORE PVC INSULATED & SHEATHED (STRANDED COPPER CONDUCTOR) 2X2.5 MM2- 600/1000 VOLTS FULL LENGTH ON A DRUM BSS-6346 / 1987 W/G & TEST CERTIFICATE	METER	165		IMMEDIATE
61/7	ALKALINE MANGANESE DURA CELL ULTRA, CAN STYLE PP3 VOLTAGE 9 V, DIMENSION 48.5 X 26.5 X 17.5 MM PP3 9V FARNELL	NO	24		IMMEDIATE
62/8	BATTERY CELL (BUTTON TYPE) FOR DIGITAL VERNIER CALLIPER 1.5 V SR. NO 44 TECH/DETAIL	NO	36		IMMEDIATE
Indent No. 0079-LP-CMC-46 DT. 09-05-2015 (05, 07 & 09)					
63/5	CONNECTOR PORCELAIN 5 AMP, 3 WAY CONFIRMING TO GEC FIG. NO.C-7041	NO	39		IMMEDIATE
64/7	REVERSIBLE CONNECTOR PORCELAIN 15 AMP, 3 WAY CONFIRMING TO GEC FIG. NO. C-7041	NO	150		IMMEDIATE
65/9	DISTRIBUTION FUZE BOARD LIGHTING, DOUBLE POLE 15 AMP, 4 WAY BSS-214-1973	NO	30		IMMEDIATE
Indent No. 0080-LP-CMC-46 DT. 09-05-2015 (09, 11 & 12)					
66/9	LAMP HOLDER BRASS BATTEN TYPE B.C, B-22 (BRAND: BUSH, HERO, ITTEFAQ) BSS: 52/1963 & BSS: 5042/1987	NO	50		IMMEDIATE
67/11	PORECLAIN E.S. CAP LAMP HOLDER, SUITABLE FOR DISPERAIVE LIGHT FITTING WITH INDUSTRIAL TYPE 16" DIA REFLECTOR & FIXING CLAMP FOR 150/200 WATTS LAMP BSS- 98/1962	NO	486		IMMEDIATE
68/12	LAMP HOLDER PORECLAIN, E.S. CAP, E-40 , SUITABLE FOR 250 WATT M.V. LAMP. BSS-5042/1987	NO	15		IMMEDIATE
Indent No. 0081-LP-CMC-46 DT. 09-05-2015 (1,2,3,4,5,6 & 7)					
69/1	UN-LOADED EBONITE ROD 1/2" DIA - (12 MM), LENGTH-1 METER BSS- 234/1971, COLOUR BLACK	KG	10		IMMEDIATE
70/2	UN-LOADED EBONITE ROD 3/4" DIA - (20 MM) BSS-234/1971 LENGTH-1 MTR COLUOR BLACK.	KG	125		IMMEDIATE
71/3	UN-LOADED BLACK EBONITE ROD 1" DIA - (25 MM) BSS-234/1971 LENGTH-1 MTR.	KG	45		IMMEDIATE
72/4	UN-LOADED BLACK EBONITE ROD 1-1/4" DIA-(32MM) BSS-234/1971 LENGTH-1 MTR.	KG	50		IMMEDIATE
73/5	TUFNAL ROD BROWN DIA - 25 MM BSS- 6128/1981-PT- 8 & 9 LENGTH-1 MTR.	KG	35		IMMEDIATE
74/6	TUFNAL ROD BROWN 1-1/2" (40 MM) DIA BSS- 6128/1981-PT- 8 & 9 LENGTH-1 MTR.	KG	45		IMMEDIATE
75/7	TUFNAL ROD BROWN 2" (50 MM) DIA BSS- 6128/1981-PT- 8 & 9 LENGTH-1 MTR.	KG	40		IMMEDIATE
Indent No. 0082-LP-CMC-46 DT. 09-05-2015 (08, 09 & 11)					
76/8	FIBRE SHEET VULCANIZED 1220X1825X12MM THICK BSS-216/1961	KG	50		IMMEDIATE
77/9	SHEET LEATHEROID 0.200MM THICK X 915MM WIDE BSS-2768/1956,BSS-6091/PT-I(1981)& PT-II(1987)	KG	30		IMMEDIATE
78/11	PHENOLIC RESIN BONDED PAPER LAMINATED SHEET FOR ELECTRICAL APPLICATIONS (TUFNOL SHEET) 1220 X 1220 X 6 MM THICK BSS-5102/1974, BSS-2572/1990 TYPE-I	KG	13		IMMEDIATE
Indent No. 0083-LP-CMC-46 DT. 09-05-2015 (03)					
79/3	SLEEVE VARNISHED COTTON (EMPIRE) (RED, YELLOW, GREEN OR BLUE) 3MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	METER	44		IMMEDIATE
Indent No. 0084-LP-CMC-46 DT. 09-05-2015 (07, 08 & 09)					
80/8	EMPIRE SLEEVE 6MM DIA (PAK / CHINA) CLOUR WHITE & EMPIRE TYPE BSS 2848/1973	METER	880		IMMEDIATE
81/9	EMPIRE SLEEVE 8MM DIA (PAK / CHINA) CLOUR WHITE & EMPIRE TYPE BSS 2848/1973	METER	780		IMMEDIATE

**(2) For Plant & Machinery:-
Specifications:-**

3 Special Conditions:-

i	Rate & Sales Tax must be shown separately otherwise your quoted rates will be considered inclusive of G.S.T.
ii	Quotation not accepted without Bid Money & Tender Fee. Moreover, firm name & T.E # & dt, must be shown/visible on backside of bid money.
iii	Date and stamp of the Postal Order must be visible.
iv	a. Only registered suppliers (with Sales Tax and Income Tax Deptt.) Who are on Active Tax Payer List (ATL) of FBR are eligible to supply Good / Services to Government Departments. b. The payment to the registered persons may be linked with the Active Taxpayer Status of the supplier as per FBR database. If any registered supplier is not in ATL, his payment should be stopped till his mandatory returns and appears on ATL of FBR.
v	Unregistered firms are required to provide Annexure–A duly filled Signed and Stamped along with quotation.
vi	Undertaking of T.E. Schedule should be returned duly Signed & Stamped with quotation.
vii	Status of firm with POF (registration / un - registered) should be mentioned in offer. Registered firms are required to provide copy of valid registration letter with POF.
viii	PTC must be obtained from Punjab Government
ix.	Only one rate should be quoted against description of store on the Tender Schedule.
x.	The store must be provided within given delivery period of the contract.
xi.	All the interested firms are required to submit the documentary evidence of their professional, technical, financial, legal & managerial competency for bid evaluation.
xii.	In case of failure to supply the store within D.P, LD will be imposed as per procedure.
xiii.	Photocopies of PTC, NTN, GST & ATL (Sale Tax) must be attached with quotation.
Xiv.	If the supplier has already supplied these tendered stores than mentioned contract No. / Nos. on your offer / quotation.
xv.	Quotation must be valid for 90 days which will be effective from the date of acceptance of samples / technical offers from our side and for free Delivery of store at POFs Wah Cantt.

Should our offer be accepted, we hereby undertake to supply the stores/render services contracted on the basis of conditions of contract embodied in Form POF-1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk & cost.

Date _____

Signature of the Tendered _____

Place _____

Name _____

Position _____

Address _____

Income Tax G.I.R. No. _____

Official Stamp _____

SUPPLIERS'S CAPABILITY

Annexure-A

1. NAME OF THE FIRM: _____
ADDRESS : _____
2.1- TELE: NO: _____
2.2- FAX NO : _____
2.3- E.MAIL ADDRESS : _____
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : _____
3. ESTABLISHED SINCE : _____
4. CAPACITY : (Manufacture/stockist/Agent to foreign Firm) : _____
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____

5.1- IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____

5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;
(Attached separate sheet if required): _____
6. INSPECTION/QUALITY ASSURANCE FACILITIES : _____
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-
8.1- DETAILS OF STOCKS HELD :- _____
8.2- APPROX .STOCK VALUE :- _____
8.3- LOCATION OF STOCKS: - _____
9. **ORGANISTIONAL DETAILS.**
WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS. (Give registration No. Date and attach copies of the necessary documents).

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- _____

9.2 IMPORT TRADE CONTROL DEPTT : _____

9.3 SALES TAX DEPTT :- _____

9.4 INCOME TAX DEPTT : _____

FINANCIAL STATUS : _____

(Bank certificate to be attached)