

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

Dear Sirs,

Reference: TENDER ENQUIRY NO. 0169-LP-CMC-48-PD, DT. 21.08.2017

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender: -

1. SUBMISSION OF TENDER

1.1) Tenders will be opened at 1230 Hours on 26.09.2017 and must reach this office on or before 1200 hours upto the date of opening of Tenders. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2) Only one tender should be included in one envelope. The outside of the envelope should be inscribed with: -

Tender Enquiry No: 0169-LP-CMC-48-PD, DT. 21.08.2017

Tender to be opened on: 26.09.2017.

Address as follows:

DY.DIRECTOR SCM - II
POF WAH CANTT.

1.3) If envelope do not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1) For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2) For Plant and Machinery, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

|| N.A.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3) The Quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4) The Quotation should hold good for any reduced or enhanced quantities without notice.

2.5) In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6) Conditional Offer or alternative offers are likely to be ignored.

2.7) Quotations should be based on: -

Free Delivery at POF's stores at Central Stores POF WAH CANTT.

In this case Octopi duty will be payable by the supplier.

2.8) Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without clarifications and inclusive of Taxes and Duties may be ignored.

2.9) Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.

2.10) "Suppliers will furnish a certificate, issued by Excise & Taxation deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11) If the requisite information is not furnished on the T.E. forms or offer received in not conformity with the requirement of T.E. such offer shall be ignored.

2.12) Supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/dispatch documents.

3. INSPECTION

3.1) Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the suppliers in accordance with the relevant specifications.

3.2) Where considered necessary, by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, with in a specified time.

4. TENDER FEE

The tender must be accompanied by a non-refundable fee Rs.500/- by means of a crossed postal order / Pay order in favour of Director Admin POFs Wah Cantt.

TENDER SAMPLE

4.1) Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

5.1) Bid Money at the rate of 2% (for registered firms with POF) & 5% (For un-registered firms with POF) of the quoted value, should accompany the tender in the shape of Deposit at Call Receipt/Pay order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

DY. DIRECTOR SCM - II, POFs, WAH CANTT.

Tenders received without Bid Money will be rejected.

5.2) Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3) State owned organizations are not required to provide Bid Money.

6. ACCEPTANCE OF OFFERS

6.1) POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2) Performance Bond:

(a) The successful bidders shall provide performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of the contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The performance bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for Purchase of the stores at the risk and expense of the supplier.

6.3 PERFORMANCE BOND from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or Claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the C.M.A.-(POFs) through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

6.5(a) Payment of duties / Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned GOVT. Taxation Deptt.

7. SECURITY OF INFORMATION

The tendered and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Sincerely,

(Bushra Ali)
MANAGER-PURCHASE-II

Tele : 051-9314101-21/22193
: 051-9055-22193
Fax : 051-9271400
Email: mma.ddpii@yahoo.com

PAKISTAN ORDNANCE FACTORIES

SCHEDULE OF TENDER ENQUIRY # 0169-LP-CMC-48-PD, DT. 21.08.2017

OPENED ON 26-09-2017

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	Qty.	A/U	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
INDENT # 0160-LP-CMC-48, DT. 24-10-2016						
1/1	PIANO TYPE SWITCH SOCKET COMBINED (UNIVERSAL TYPE) WHITE 5 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) (SAMPLE TO BE GOT APPROVED BEFORE CONTRACT IS PLACED)	5418	NO.			
2/2	SWITCH SOCKET COMBINED IRON CLAD, 3 PIN, INCORPOR- ATING SCREWED COUPLING FOR 3/4" CONDUIT ENTRY 15 AMP BUSH, ITTEFAQ, BOOSH, GOG, ANTAT OR EQUIVALENT	63	NO.			
INDENT # 0169-LP-CMC-48, DT. 08-11-2016.						
3/1	ENERGY SAVER BULB COOL DAY LIGHT BI-PIN B-22, 18 WATT, 220-240 VOLT 50 HZ TYPE B-22, MAKE: PHILIPS, OSRAM OR EQUIVALENT	11096	NO.			
4/2	ENERGY SAVER BULB COOL DAY LIGHT SCREW TYPE MAKE: PHILIPS, OSRAM 23 WATTS (220-240 VOLTS) 23 WATT: E27 OR EQUIVALENT	1908	NO.			
INDENT # 0170-LP-CMC-48, DT. 18-11-2016.						
5/1	ENERGY SAVER MOON LIGHT SPIRAL (E-27) BRAND: PHILIPS / ORIENT OR EQUIVALENT. 11 WATT, 220 - 240 VOLT 11 WATT, 220-240V, 50-60HZ, 142ML SPIRAL GLOW (MOON LIGHT) 6500 K, E-27	209	NO.			
INDENT # 0249-LP-CMC-47, DT. 27-05-2017.						
6/1	ADOPTABLE BOXES 6"X6"X2" - 150X150X50 MM BSS-31/1940(1979) CLASS-B	28	NO.			
7/2	DRY CELL SMALL, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS) 1.5 VOLTS SIZE "AA" (R-6) BSS-397-PT-1 & II/1989	1593	NO.			
8/3	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT, FIXING CENTRE - A-2 6 AMP, 500-660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	264	NO.			
9/4	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT. FIXING CENTRE - A-2 10 AMP, 500-660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	655	NO.			
10/5	PLUG TOP BAKELITE 2- PIN, 5-10 AMP, 250 VOLTS (BRAND,BUSH, ITTEFAQ, HERO) BSS- 196/1961	820	NO.			
11/6	UN-LOADED BLACK EBONITE ROD 1-1/4" DIA - (32 MM), LENGTH-1 METER BSS- 234/1971	35	KG.			
12/7	SHEET LEATHEROID 0.005" THICKX36" WIDE (0.127MM THICKX915MM WIDE) BSS-2768/1956, BSS-6091/PT-I (1981) & PT-II (1987)	56	KG.			
13/8	SOCKET 3 PIN BAKELITE, 5-10 AMP, 250 VOLTS. (BRAND: BUSH, HERO, ITTEFAQ) BSS-546/1950	2326	NO.			
14/9	TAPE COTTON GLASS IMPREGNATED (GLASS FIBRE WOVEN TAPE) 1" WIDE, 0.005" THICK (25MM WIDE X 0.127MM THICK) BSS-3779/1974	3905	MTR.			

INDENT # 0252-LP-CMC-47, DT. 29-05-2017.

15/1	CABLE PVC INSULATED NON SHEATHED SINGLE CORE (STRANDED), (PACKING OF 100 MTR ROLL). 16 MM2 - 450/750 VOLTS BSS-6004/1984, 6500/1984,6360/1981 W/G & TEST CERTIFICATE	2635	MTR.		
16/2	CONDUIT PIPE SOLID DRAWN HEAVY GUAGE SCREWED E.T 1" (25 MM) - (14 SWG) BSS-31/1940 (1979) CLASS-B	107	MTR.		
17/3	CONDUIT PIPE WELDED BLACK ENAMELLED DIA 1" - (25MM) 0.064 INCH BSS-31/1940 (1979) / CLASS- B	2125	MTR.		
18/4	LAMP HOLDER BRASS, ANGLE TYPE B.C. (B-22) (BRAND:- BUSH,SEVEN STAR, P.P.I, HERO). BSS-52/1963 & BSS: 5042/1987	2000	NO.		
19/5	FUZE HRC CARTRIDGE GEC TYPE TCP OR EQUIVALENT FIXING CENTRE A-4 100 AMP, 500-660 VOLT A.C. BSS-88/PTI/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	1038	NO.		
20/6	FUZE HRC CARTRIDGE (GEC TYPE TTM OR EQUIVALENT, FIXING CENTRE C-2 500- AMP, 500-660 VOLTS BSS-88/PTI/ 1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	277	NO.		
21/7	PLUG TOP BAKELITE , 3- PIN, 15 - 20 AMP,,250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) BSS- 196/1961	3041	NO.		
22/8	IRON CLAD SWITCH FUZE TP&N (WITH HRC FUZE) 660 VOLT, 200 AMP BSS-5419/1977 & CEE STD. SPEC. 1983	149	NO.		
23/9	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND : GAZILEX, PAK OR MILLAT) 2.34 MM DIA (13 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-3	275	KG.		
24/10	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND:GAZILEX,PAK OR MILLAT) 0.376 MM DIA (28 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-3	247	KG.		
25/11	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND : GAZILEX, PAK OR MILLAT) 0.236 MM DIA (34 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-3	148	KG.		

INDENT # 0256-LP-CMC-47, DT. 30-05-2017.

26/1	LAMP ENERGY SAVER COOL DAY LIGHT SCREW TYPE MAKE: PHILIPS, OSRAM 45 WATTS (150-250 VOLTS) Model Number: 45W Principle: CFL Shape: spiral wattage: 45w/ luminous flux: 5100 lm base size: E27	362	NO.		
27/2	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT. FIXING CENTRE - A-2 32 AMP, 500-660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	2886	NO.		
28/3	FUZE HRC CARTRIDGE (GEC TYPE TKF OR EQUIVALENT, FIXING CENTRE B-3 315 AMP-500- 660 VOLTS BSS-88/PTI/ 1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	572	NO.		
29/4	PIANO TYPE SWITCH SOCKET COMBINED (UNIVERSAL TYPE) WHITE 5-10 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ). (SAMPLE TO BE GOT APPROVED BEFORE CONTRACT ISPLACED)	5216	NO.		
30/5	PIANO TYPE SWITCH, 5-10 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) (SAMPLE TO BE GOT APPROVED BEFORE CONTRACT IS PLACED)	6067	NO.		
31/6	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) (BRAND : GAZILEX, PAK OR MILLAT) 0.355 MM DIA (29 SWG) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-3	210	KG.		

INDENT # 0273-LP-CMC-47, DT. 02-06-2017.

32/1	FUZE HRC CARTRIDGE (EE/GEC TYPE TMF OR EQUIVALENT, FIXING CENTRE B-4 400- AMP-220- 660 VOLTS BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	65	NO.		
33/2	LAMP HOLDER BRASS BATTEN TYPE B.C, B-22 (BRAND: BUSH, HERO, ITTEFAQ) BSS: 52/1963 & BSS: 5042/1987	994	NO.		
34/3	LAMP HOLDER BRASS PENDENT TYPE B.C, B-22 (BRAND: BUSH, HERO, ITTEFAQ) BSS: 52/1963 & BSS: 5042/1987	1835	NO.		
35/4	PORCELAIN LAMP HOLDER BATTEN TYPE B.C, B-22 BSS-52/1963	614	NO.		
36/5	LAMP HOLDER PORECLAIN, E.S. CAP, E-40 , SUITABLE FOR 250 WATT M.V. LAMP. BSS-5042/1987 BSS-5042/1987	25	NO.		
37/6	SHEET LEATHEROID 0.200MM THICK X 915MM WIDE BSS-2768/1956,BSS-6091/PT-I(1981)& PT-II(1987)	70	KG.		
38/7	SLEEVE VARNISHED COTTON (EMPIRE) (RED,YELLOW,GREEN OR BLUE) 1MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	3127	MTR.		
39/8	SLEEVE VARNISHED COTTON (EMPIRE) (RED, YELLOW, GREEN OR BLUE) 3MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	2550	MTR.		
40/9	TUMBLER SWITCH BAKELITE PORCELAIN BASE (S.P.),15 - 20 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) BSS-3676/1963	1334	NO.		
41/10	PVC INSULATION TAPE ADHESIVE FOR ELECTRICAL INSULATING PURPOSE 3/4" (19MM) WIDE X 0.13MM THICK(ONE ROLL=10 YARDS,10 YARD=9.144 METER) BSS-3924/1978	2650	ROLL.		
42/11	TAPE COTTON GLASS INSULATION (GLASS FIBRE WOVEN TAPE) 1" WIDE, 0.011" THICK (25MM WIDE X 0.3MM THICK) BSS-3779/1974	3448	MTR.		
43/12	EMPIRE SLEEVE (PAK / CHINA) 6MM DIA TYPE-I , CLASS-105-B BSS 2848/1973 ,COLOUR WHITE RYB	742	MTR.		

INDENT # 0274-LP-CMC-47, DT. 02-06-2017.

44/1	CABLE STEEL WIRE ARMOURED 2-CORE PVC INSULATED & PVC SHEATHED (STRANDED COPPER CONDUCTOR) 2X1.5MM2, (3/.036") - 600/1000 VOLTS FULL LENGTH ON A DRUM. BSS-6346 / 1987 W/G & TEST CERTIFICATE	1012	MTR.		
45/2	CABLE STEEL WIRE ARMOURED 3-CORE PVC INSULATED & PVC SHEATHED (STRANDED COPPER CONDUCTOR) 3 X 16MM2 - 600/1000 VOLTS BSS-6346/1987 W/G & TEST CERTIFICATE	228	MTR.		
46/3	CORD FLEXIBLE 3-CORE, PVC INSULATED & SHEATHED (CIRCULAR) PACKING OF 100 MTR ROLL 1.25MM2 - 300/500 VOLTS BSS-6500/1984, 6360/1981 W/G & TEST CERTIFICATE	3140	MTR.		
47/4	CORD FLEXIBLE 2-CORE, PVC INSULATED & SHEATHED (CIRCULAR) PACKING OF 100 MTR ROLL 0.75MM2 - 300/500 VOLTS BSS-6500/1984 , 6360/1981 W/G & TEST CERTIFICATE	8862	MTR.		
48/5	CORD FLEXIBLE 4-CORE, PVC INSULATED & SHEATHED (CIRCULAR) PACKING OF 100 MTR ROLL 4 X 1.5MM2 - 300/500 VOLTS BSS-6500/1984 , 6360/1981 W/G & TEST CERTIFICATE	1955	MTR.		
49/6	CABLE PVC INSULATED NON SHEATHED SINGLE CORE FOR INTERNAL WIRING (STRANDED) PACKING OF 100 MTR ROLL 1.5MM2 , 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	11984	MTR.		
50/7	DRY CELL FOR TORCH, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS) 1.5 VOLTS SIZE "D" (R-20) LARGE BSS-397-PT-1 & II/1989	1906	NO.		

51/8	CONDENSER / CAPACITOR FOR CEILING FAN (BRAND : FUJI OR EQUIVALENT) 2.2 MFD, 220/250 VOLT, 50 CYCLE/SECOND BSS-4017/1979	4215	NO.		
52/9	FUZE HRC CARTRIDGE GEC TYPE TF OR EQUIVALENT FIXING CENTRE B-2 200 AMP ,220- 660 VOLTS BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	891	NO.		
53/10	LAMP HOLDER BAKELITE BATTEN TYPE (B.C.), B-22 (BRAND: BUSH, HERO, ITTEFAQ) BSS: 52/1963 & BSS: 5042/1987	15191	NO.		
54/11	LAMP HOLDER BAKELITE PENDENT TYPE B.C, B-22 (BRAND:BUSH, HERO, ITTEFAQ) BSS: 52/1963 & BSS: 5042/1987	8106	NO.		

**(2) For Plant & Machinery:-
Specifications:-**

(3) Special Conditions:-

- i. **RATE & SALES TAX MUST BE SHOWN SEPARATELY. OTHERWISE YOUR QUOTED RATES WILL BE CONSIDERED INCLUSIVE OF G.S.T.**
- ii. **QUOTATION NOT ACCOMPANIED WITH BID MONEY & TENDER FEE WILL BE IGNORED.**
- iii. **DATE AND STAMP OF THE POSTAL ORDER MUST BE VISIBLE.**
- iv. **a. ONLY REGISTERED SUPPLIERS (WITH SALES TAX AND INCOME TAX DEPTT.) WHO ARE ON ACTIVE TAX PAYER LIST (ATL) OF FBR ARE ELIGIBLE TO SUPPLY GOOD / SERVICES TO GOVERNMENT DEPARTMENTS.**
b. THE PAYMENT TO THE REGISTERED PERSONS MAY BE LINKED WITH THE ACTIVE TAXPAYER STATUS OF THE SUPPLIER AS PER FBR DATABASE. IF ANY REGISTERED SUPPLIER IS NOT IN ATL, HIS PAYMENT SHOULD BE STOPPED TILL HIS MANDATORY RETURNS AND APPEARS ON ATL OF FBR.
- v. **UNREGISTERED FIRMS ARE REQUIRED TO PROVIDE ANNEXURE–A DULY FILLED SIGNED AND STAMPED ALONGWITH QUOTATION.**
- vi. **UNDERTAKING OF T.E. SCHEDULE SHOULD BE RETURNED DULY SIGNED & STAMPED WITH QUOTATION.**
- vii. **STATUS OF FIRM WITH POF (REGISTRATION / UN - REGISTERED) SHOULD BE MENTIONED IN OFFER. REGISTERED FIRMS ARE REQUIRED TO PROVIDE COPY OF VALID REGISTRATION LETTER WITH POF.**
- viii. **PTC MUST BE OBTAINED FROM PUNJAB GOVERNMENT.**
- ix. **ONLY ONE RATE SHOULD BE QUOTED AGAINST DESCRIPTION OF STORE ON THE TENDER SCHEDULE.**
- x. **SUPPLIER MUST BE PROVIDED TECHNICAL LITERATURE OF QUOTED ITMES ALONGWITH THE QUOTATION.**
- xi. **THE STORE MUST BE PROVIDED WITHIN GIVEN DELIVERY PERIOD OF THE CONTRACT.**
- xii. **ADVANCE SAMPLE AGAINST ITEMS # 1/1, 2/2, 3/1, 4/2, 5/1,29/4, & 30/5 & W/G / TEST CERTIFICATE IS REQUIRED WITH IN A WEEK AFTER OPENING OF TENDER.**

(4) **UNDERTAKING**

Should our offer be accepted, we hereby undertake to supply the stores/render services contracted on the basis of conditions of contract embodied in Form POF-1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk & cost.

Date _____

Signature of the Tendered _____

Place _____

Name _____

Position _____

Address _____

Income Tax G.I.R. No. _____

Official Stamp _____

SUPPLIERS'S CAPABILITY

Annexure-A

1. NAME OF THE FIRM: _____
ADDRESS : _____
2.1- TELE: NO: _____
2.2- FAX NO : _____
2.3- E.MAIL ADDRESS : _____
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : _____
3. ESTABLISHED SINCE : _____
4. CAPACITY : (Manufacture/stockist/Agent to foreign Firm) : _____
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____

5.1- IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____

5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;
(Attached separate sheet if required): _____
6. INSPECTION/QUALITY ASSURANCE FACILITIES : _____
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-
8.1- DETAILS OF STOCKS HELD :- _____
8.2- APPROX .STOCK VALUE :- _____
8.3- LOCATION OF STOCKS: - _____
9. **ORGANISTIONAL DETAILS.**
WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS. (Give registration No. Date and attach copies of the necessary documents).

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- _____

9.2 IMPORT TRADE CONTROL DEPTT : _____

9.3 SALES TAX DEPTT :- _____

9.4 INCOME TAX DEPTT : _____

FINANCIAL STATUS : _____

(Bank certificate to be attached)