

**Government of Pakistan**  
**PAKISTAN ORDNANCE FACTORIES**  
**TENDER ENQUIRY**

To

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dear Sirs,

Reference: TENDER ENQUIRY NO. 0272-LP-CMC-47-PD, DT. 10.10.2017

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender: -

**1. SUBMISSION OF TENDER**

1.1) Tenders will be opened at 1230 Hours on 09.11.2017 and must reach this office on or before 1200 hours upto the date of opening of Tenders. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2) Only one tender should be included in one envelope. The outside of the envelope should be inscribed with: -

Tender Enquiry No: 0272-LP-CMC-47-PD, DT. 10.10.2017

Tender to be opened on: 09.11.2017.

Address as follows:

DY.DIRECTOR SCM - II  
POF WAH CANTT.

1.3) If envelope do not indicate reference of T.E or received late the same may be returned un-opened.

**2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

2.1) For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2) For Plant and Machinery, you are required to quote in two parts:-  
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

||| **N.A.**

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3) The Quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4) The Quotation should hold good for any reduced or enhanced quantities without notice.

2.5) In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6) Conditional Offer or alternative offers are likely to be ignored.

2.7) Quotations should be based on: -

Free Delivery at POF's stores at Central Stores POF WAH CANTT.

In this case Octopi duty will be payable by the supplier.

2.8) Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without clarifications and inclusive of Taxes and Duties may be ignored.

2.9) Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.

2.10) "Suppliers will furnish a certificate, issued by Excise & Taxation deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11) If the requisite information is not furnished on the T.E. forms or offer received in not conformity with the requirement of T.E. such offer shall be ignored.

2.12) Supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/dispatch documents.

### 3. INSPECTION

3.1) Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the suppliers in accordance with the relevant specifications.

3.2) Where considered necessary, by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, with in a specified time.

4. TENDER FEE

The tender must be accompanied by a non-refundable fee Rs.500/- by means of a crossed postal order / Pay order in favour of Director Admin POFs Wah Cantt.

TENDER SAMPLE

4.1) Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

5.1) Bid Money at the rate of 2% (for registered firms with POF) & 5% (For un-registered firms with POF) of the quoted value, should accompany the tender in the shape of Deposit at Call Receipt/Pay order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

DY. DIRECTOR SCM - II, POFs, WAH CANTT.

Tenders received without Bid Money will be rejected.

5.2) Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3) State owned organizations are not required to provide Bid Money.

6. ACCEPTANCE OF OFFERS

6.1) POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2) Performance Bond:

(a) The successful bidders shall provide performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of the contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The performance bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for Purchase of the stores at the risk and expense of the supplier.

6.3 PERFORMANCE BOND from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or Claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the C.M.A.-(POFs) through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

6.5(a) Payment of duties / Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned GOVT. Taxation Deptt.

7. SECURITY OF INFORMATION

The tendered and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Sincerely,

(NAHEED AKHTER)  
A.M-PURCHASE-II (A)

Tele : 051-9314101-21/22036  
      : 051-9055-22036  
Fax : 051-9271400  
Email: [mma.ddpii@yahoo.com](mailto:mma.ddpii@yahoo.com)

**PAKISTAN ORDNANCE FACTORIES****SCHEDULE OF TENDER ENQUIRY # 0272-LP-CMC-47-PD, DT. 10.10.2017 OPENED ON 09-11-17****(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	Qty.	A/U	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
<b>INDENT # 0052-LP-CMC-48, DT. 19-09-2016.</b>						
1/1	ELECTRIC BELL COMPLETE WITH PUSH BUTTON 250 VOLTS SINGLE & DING DONG, HERO, CROWN, ITTIFAQ ELECTRONICS, STAR	33	NO			
2/2	ELECTRIC BUZZER A.C. SUITABLE FOR 220/250 VOLTS MILLION & GHAZI, HERO, ITTIFAQ ELECTRONICS, SILVER	43	NO			
3/5	BUSH BRASS HEXAGONAL EXTERNALLY SCREWED 3/4" (20 MM) BSS-4568/PT-II-1970, STANDARD SHEET NO.8	175	NO			
4/6	185C GLASS FIBRE INSULATED CABLE 300/300 VOLTS SINGLE CORE 2.5 MM SQR. (7/.029") BSS-6141/1981-TABLE-18 ( W/G & TEST CERTIFICATES ARE REQUIRED )	200	METER			
5/7	L.T. CABLE BITUMEN BASED COMPOUND CLASS-II 1 TIN = 10 KG BSS-1858/1973 W/G & TEST CERTIFICATE	310	KG			
6/8	CABLE PVC INSULATED & SHEATHED, TWIN CORE (FLAT) (STRANDED) (PACKING OF 100 MTR ROLL) 2X4MM2, 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	75	METER			
7/9	CABLE STEEL WIRE ARMoured TWIN CORE PVC INSULATED & SHEATHED (STRANDED COPPER CONDUCTOR) 2X2.5 MM2- 600/1000 VOLTS FULL LENGTH ON A DRUM BSS-6346 / 1987 W/G & TEST CERTIFICATE	72	METER			
8/10	DRY CELL FOR TORCH, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS) 1.5 VOLTS SIZE "D" ( R-20 ) LARGE BSS-397-PT-1 & II/1989	166	NO			
9/11	DRY CELL MEDIUM, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS) 1.5 VOLTS SIZE "C" ( R-14 ) BSS-397-PT-1 & II/1989	102	NO			
10/12	CONDUIT PIPE WELDED BLACK ENAMELLED DIA 1" - (25MM) 0.064 INCH BSS-31/1940 (1979) / CLASS-B	102	METER			
<b>INDENT # 0053-LP-CMC-48, DT. 19-09-2016.</b>						
11/2	COUPLER WATER TIGHT 3/4" (20 MM) BSS-4568/1970, PT-II	100	NO			
12/3	ELBOW INSPECTION CONDUIT (STEEL) 3/4" (20 MM) BSS-31/1940 CLASS- B (1979)	49	NO			
13/4	LAMP HOLDER BRASS, ANGLE TYPE B.C. ( B-22 ) (BRAND:- BUSH,SEVEN STAR, P.P.I, HERO ). BSS-52/1963 & BSS: 5042/1987	800	NO			
14/6	IRON CLAD FUZE DISTRIBUTION FUZE BOARD SINGLE POLE WITH NEUTRAL LINK 250 VOLT, 15 AMP, 4 WAY REHMAN ELECTRIC, FIECO OR EQUIVALENT	4	NO			
15/7	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT. FIXING CENTRE - A-2 16 AMP,220- 660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	42	NO			

16/8	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT. FIXING CENTRE - A-2 32 AMP, 660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	63	NO		
17/9	FUZE HRC CARTRIDGE EE/GEC TYPE TIS OR EQUIVALENT. FIXING CENTRE - A-3 63 AMP, 220-660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	29	NO		
18/10	FUZE HRC CARTRIDGE GEC TYPE TF OR EQUIVALENT FIXING CENTRE B-2 160 AMP, 220-660 VOLTS BSS-88/PTI/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	2	NO		
19/12	LAMP HOLDER BRASS BATTEN TYPE B.C, B-22 (BRAND: BUSH, HERO, ITTEFAQ ) BSS: 52/1963 & BSS: 5042/1987	482	NO		

**INDENT # 0254-LP-CMC-47, DT. 29-05-2017.**

20/1	ELECTRIC BELL COMPLETE WITH PUSH BUTTON 250 VOLTS SINGLE & DING DONG, HERO, CROWN, ITTIFAQ ELECTRONICS, STAR OR EQUIVALENT	655	NO		
21/2	CONDUIT JUNCTION BOX 3/4" X 2 WAY BSS-31/1940(1974)-CLASS-B	100	NO		
22/3	SWITCH SOCKET COMBINED BAKELITE 3 PIN,15-20 AMP,250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ ) BRAND: HERO, BUSH, ITTEFAQ. ( SAMPLE TO BE GOT APPROVED BEFORE CONTRACT IS PLACED )	680	NO		
23/4	SLEEVE VARNISHED COTTON (EMPIRE) RED,YELLOW,GREEN OR BLUE 2MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	2505	METER		
24/5	SLEEVE VARNISHED COTTON (EMPIRE) ( RED, YELLOW, GREEN OR BLUE ) 4MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	2880	METER		
25/6	WIRE NICHROME (RATIO: 80% NICKLE & 20% CHROMIUM) SIZE 2 MM DIA RATIO: NICKLE 80% & CHROMIUM 20%	6	KG		
26/7	EMPIRE SLEEVE ( PAK / CHINA ) RED,YELLOW,GREEN OR BLUE 8MM DIA TYPE -1, CLASS-105 B BSS 2848/1973	715	METER		

**INDENT # 0272-LP-CMC-47, DT. 02-06-2017.**

27/1	ELECTRIC BUZZER A.C. SUITABLE FOR 220/250 VOLTS MILLION & GHAZI, HERO, ITTIFAQ ELECTRONICS, SILVER OR EQUIVALENT	560	NO		
28/2	CABLE PVC INSULATED PVC SHEATHED, TWIN CORE, FLAT SOLID. (PACKING OF 100 MTR ROLL) 2X1.5MM2 , 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	60	METER		
29/3	CABLE PVC INSULATED & SHEATHED, TWIN CORE (FLAT) (STRANDED) (PACKING OF 100 MTR ROLL) 2X4MM2, 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	60	METER		
30/4	CABLE STEEL WIRE ARMOURED 3-CORE PVC INSULATED & PVC SHEATHED (STRANDED COPPER CONDUCTOR) 3X1.5MM2, (3/.036) - 600/1000 VOLTS FULL LENGTH ON A DRUM. BSS-6346 / 1987 W/G & TEST CERTIFICATE	764	METER		
31/5	CORD FLEXIBLE 3-CORE, PVC INSULATED & SHEATHED ( CIRCULAR ) PACKING OF 100 MTR ROLL 3 X 1.5MM2 - 300/500 VOLTS BSS-6500/1984 W/G & TEST CERTIFICATE 6360/1981	798	METER		
32/6	CABLE STEEL WIRE ARMOURED TWIN CORE PVC INSULATED & SHEATHED (STRANDED COPPER CONDUCTOR) 2X2.5 MM2- 600/1000 VOLTS FULL LENGTH ON A DRUM BSS-6346 / 1987 W/G & TEST CERTIFICATE	12	METER		
33/7	DRY CELL MEDIUM, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS) 1.5 VOLTS SIZE "C" ( R-14 ) BSS-397-PT-1 & II/1989	535	NO		

<b>34/8</b>	COUPLER WATER TIGHT 25MM COMPLETE WITH WASHER LEAD 1" (25MM) BSS-31/1940/1979 CLASS-B	41	NO		
<b>35/9</b>	ELBOW INSPECTION CONDUIT (STEEL) 3/4" (20 MM) BSS-31/1940 CLASS- B (1979)	620	NO		
<b>36/10</b>	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR EQUIVALENT. FIXING CENTRE - A-2 20 AMP,500- 660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)	250	NO		

**(2) For Plant & Machinery:-**

**Specifications:-**

**(3) Special Conditions:-**

- i. **RATE & SALES TAX MUST BE SHOWN SEPARATELY. OTHERWISE YOUR QUOTED RATES WILL BE CONSIDERED INCLUSIVE OF G.S.T.**
- ii. **QUOTATION NOT ACCOMPANIED WITH BID MONEY & TENDER FEE WILL BE IGNORED.**
- iii. **DATE AND STAMP OF THE POSTAL ORDER MUST BE VISIBLE.**
- iv. a. **ONLY REGISTERED SUPPLIERS (WITH SALES TAX AND INCOME TAX DEPTT.) WHO ARE ON ACTIVE TAX PAYER LIST (ATL) OF FBR ARE ELIGIBLE TO SUPPLY GOOD / SERVICES TO GOVERNMENT DEPARTMENTS.**  
b. **THE PAYMENT TO THE REGISTERED PERSONS MAY BE LINKED WITH THE ACTIVE TAXPAYER STATUS OF THE SUPPLIER AS PER FBR DATABASE. IF ANY REGISTERED SUPPLIER IS NOT IN ATL, HIS PAYMENT SHOULD BE STOPPED TILL HIS MANDATORY RETURNS AND APPEARS ON ATL OF FBR.**
- v. **UNREGISTERED FIRMS ARE REQUIRED TO PROVIDE ANNEXURE-A DULY FILLED SIGNED AND STAMPED ALONGWITH QUOTATION.**
- vi. **UNDERTAKING OF T.E. SCHEDULE SHOULD BE RETURNED DULY SIGNED & STAMPED WITH QUOTATION.**
- vii. **STATUS OF FIRM WITH POF (REGISTRATION / UN - REGISTERED) SHOULD BE MENTIONED IN OFFER. REGISTERED FIRMS ARE REQUIRED TO PROVIDE COPY OF VALID REGISTRATION LETTER WITH POF.**
- viii. **PTC MUST BE OBTAINED FROM PUNJAB GOVERNMENT.**
- ix. **ONLY ONE RATE SHOULD BE QUOTED AGAINST DESCRIPTION OF STORE ON THE TENDER SCHEDULE.**
- x. **SUPPLIER MUST BE PROVIDED TECHNICAL LITERATURE OF QUOTED ITMES ALONGWITH THE QUOTATION.**
- xi. **THE STORE MUST BE PROVIDED WITHIN GIVEN DELIVERY PERIOD OF THE CONTRACT.**
- xii. ONE RATE SHOULD BE QUOTED AGAINST ONE ITEM.**
- xiii. ADVANCE SAMPLE AGAINST ITEM AT Sr # 20/1 , 21/2 & 22/3 WILL BE PROVIDED WITH IN A WEEK AFTER OPENING OF TENDER.**

(4) **UNDERTAKING**

Should our offer be accepted, we hereby undertake to supply the stores/render services contracted on the basis of conditions of contract embodied in Form POF-1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk & cost.

**Date** \_\_\_\_\_

**Signature of the Tendered** \_\_\_\_\_

**Place** \_\_\_\_\_

**Name** \_\_\_\_\_

\_\_\_\_\_

**Position** \_\_\_\_\_

\_\_\_\_\_

**Address** \_\_\_\_\_

**Income Tax G.I.R. No.** \_\_\_\_\_

**Official Stamp** \_\_\_\_\_



**SUPPLIERS'S CAPABILITY**

**Annexure-A**

1. NAME OF THE FIRM: \_\_\_\_\_  
ADDRESS : \_\_\_\_\_  
2.1- TELE: NO: \_\_\_\_\_  
2.2- FAX NO : \_\_\_\_\_  
2.3- E.MAIL ADDRESS : \_\_\_\_\_
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : \_\_\_\_\_
3. ESTABLISHED SINCE : \_\_\_\_\_
4. CAPACITY : (Manufacture/stockist/Agent to foreign Firm) : \_\_\_\_\_
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : \_\_\_\_\_  
\_\_\_\_\_  
5.1- IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : \_\_\_\_\_  
\_\_\_\_\_  
5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;  
(Attached separate sheet if required): \_\_\_\_\_
6. INSPECTION/QUALITY ASSURANCE FACILITIES : \_\_\_\_\_
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-  
8.1- DETAILS OF STOCKS HELD :- \_\_\_\_\_  
8.2- APPROX .STOCK VALUE :- \_\_\_\_\_  
8.3- LOCATION OF STOCKS: - \_\_\_\_\_
9. **ORGANISTIONAL DETAILS.**  
WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS. (Give registration No. Date and attach copies of the necessary documents).

---

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- \_\_\_\_\_

9.2 IMPORT TRADE CONTROL DEPTT : \_\_\_\_\_

9.3 SALES TAX DEPTT :- \_\_\_\_\_

9.4 INCOME TAX DEPTT : \_\_\_\_\_

FINANCIAL STATUS : \_\_\_\_\_

(Bank certificate to be attached)